



Press Release

18th March 2014

NOT FOR DISTRIBUTION TO UNITED STATES NEWSWIRE SERVICES OR FOR DISSEMINATION IN THE UNITED STATES

Consistent high grade intercepts along 2 km of strike at Mankarga 5 12m at 8.82g/t Au from 38m including 9m at 11.35g/t Au in TAC0048 8m at 5.69g/t Au from 35m including 1m at 41.51g/t Au in TAC0050

West African Resources Limited (ASX, TSXV: WAF) is pleased to report final gold results from a 5,000m reverse circulation (RC) drilling program at its Mankarga 5 Deposit located on the Tanlouka Permit, part of the Boulsa Project, in Burkina Faso.

“We are very pleased with the final results from the shallow RC drilling program at Mankarga 5. The program has been very successful with consistent high-grade mineralisation intercepted along 2km of strike. The new data will result in an increase in the grade of oxide mineralisation which will be reported in the updated resource estimate for the Mankarga 5 deposit later this month,” Managing Director Richard Hyde said.

This announcement finishes the 5,000m shallow RC program at the Mankarga 5 deposit. The program has been completed since acquiring TSX-V listed Channel Resources less than two months ago. The results in this report cover more than 1km of strike on the central and northeast portions of the deposit from section NE100 to NE1250. Significant results include:

- TAC0045: 9m at 1.44g/t Au from 48m
- **TAC0048: 12m at 8.82g/t Au from 38m; including 9m at 11.35g/t Au**
- **TAC0050: 8m at 5.69g/t Au from 35m; including 1m at 41.51g/t Au**
- **TAC0051: 14m at 2.42g/t Au from 9m; including 1m at 21.22g/t Au**
- TAC0052: 17m at 0.99g/t Au from 6m
- TAC0058: 24m at 1.33g/t Au from 15m
- TAC0072: 16m at 0.95g/t Au from 18m
- TAC0101: 14m at 1.12g/t Au from 9m
- **TAC0116: 17m at 2.23g/t Au from 12m; including 5m at 4.56g/t Au**

The recent results from the West African drilling complements historic diamond drilling and RC high-grade results on the same sections, which include:

- TAN11-RC-39: 50m at 2.18g/t Au from 28m
- TAN11-DD-47: 28.5m at 3.41g/t Au from 5m
- TAN11-RC-40: 50m at 1.49g/t Au from 64m
- TAN11-RC-62: 42m at 1.48g/t Au from 12m
- TAN11-DD-02: 27.1m at 1.97g/t Au from 34m
- TAN11-DD-21: 8.6m at 5.85g/t Au from 100m
- TAN11-DD-33: 22.5m at 2.2g/t Au from 212m

An updated plan showing results from recent RC drilling as well as historic drilling is shown below in Figure 1 with results presented in Table 2 and 3 at the end of this report. Deep diamond drilling is ongoing in the south-western portion of the deposit, with TAN14-DD03 nearing completion, following some delays due to mechanical issues on section SW700. Test work has commenced in Perth on samples from the four metallurgical diamond holes, which will determine expected recoveries from heap leach processing.

Drilling programs in conjunction with a reinterpretation of the Mankarga 5 deposit will lead to a resource update towards the end of this month. The combination of the results of the work programs will enable West African to complete a Preliminary Economic Analysis (PEA) and Scoping Study in the first half of 2014.

The Company is focussed on near-term production with the immediate focus on the Mankarga 5 deposit and existing nearby gold prospects. The Company has set a goal of being a +50,000oz per annum gold producer within two years, subject to study outcomes, via a low-cost heap leach starter project. In February, West African announced it had secured a second-hand 1.6Mtpa heap leach plant as part of its plan to fast-track development of Mankarga 5. The proposed project development schedule for Mankarga 5 and surrounding prospects is shown below in Table 1.

Table 1: Timeline of Key Deliverables for the Mankarga 5 Project								
	2014				2015			
	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Drilling								
Resource upgrade	•			•				
Scoping Study		•						
Metallurgical Tests		•						
Feasibility Study				•				
Permitting					•			
Construction								•
Production								•

• = expected completion




Figure 1: Mankarga Summary Plan
(see Tables 2 and 3 for full results)

Table 2 Mankarga 5 Significant Intercepts 0.5 g/t Cut Off											
Hole ID	From	To	Interval	Au g/t	Easting	Northing	RL	Azimuth	Dip	EOH	Section
TAC0043	7	14	7	0.99	742690	1336875	316	120	-50	54	NE0100
TAC0044	0	3	3	1.83	742740	1336850	314	120	-50	60	NE0100
TAC0045	5	8	3	0.94	742735	1336909	313	120	-50	57	NE0150
TAC0045	28	32	4	0.81							NE0150
TAC0045	37	39	2	1.53							NE0150
TAC0045	48	57	9	1.44							NE0150
TAC0046	13	15	2	1.76	742777	1336886	313	120	-50	50	NE0150
TAC0048	5	8	3	0.67	742812	1336981	313	120	-50	54	NE0250
TAC0048	11	21	10	0.71							NE0250
TAC0048	27	34	7	1.13							NE0250
TAC0048	38	50	12	8.82							NE0250
TAC0049	50	53	3	1.07	742840	1336964	313	120	-50	58	NE0250
TAC0050	26	31	5	0.50	742839	1337081	315	120	-50	60	NE0350
TAC0050	35	43	8	5.69							NE0350
TAC0050	49	53	4	0.73							NE0350
TAC0050	56	60	4	2.37							NE0350
TAC0051	0	6	6	1.33	742882	1337056	315	120	-50	49	NE0350
TAC0051	9	23	14	2.42							NE0350
TAC0052	6	23	17	0.99	742931	1337027	312	120	-50	44	NE0350
TAC0053	17	21	4	0.71	742881	1337172	314	120	-50	43	NE0450
TAC0054	5	9	4	4.28	743011	1337094	312	120	-50	45	NE0450
TAC0054	12	19	7	1.27							NE0450
TAC0055	49	54	5	0.91	742942	1337252	314	120	-50	60	NE0550
TAC0057	6	8	2	1.83	743051	1337303	310	120	-50	44	NE0650
TAC0057	35	38	3	0.80							NE0650
TAC0058	15	39	24	1.33	743111	1337269	309	120	-50	57	NE0650
TAC0060	21	24	3	3.52	743044	1337422	314	120	-50	35	NE0750
TAC0062	26	29	3	1.71	743130	1337372	311	120	-50	42	NE0750
TAC0062	36	42	6	2.00							NE0750
TAC0063	7	8	1	2.57	743226	1337315	311	120	-50	33	NE0750
TAC0065	18	23	5	0.93	743107	1337502	313	120	-50	24	NE0850
TAC0066	1	6	5	0.91	743125	1337483	312	120	-50	25	NE0850
TAC0066	11	21	10	1.21							NE0850
TAC0068	1	18	17	0.77	743231	1337428	311	120	-50	27	NE0850
TAC0069	4	11	7	0.60	743245	1337420	310	120	-50	27	NE0850
TAC0070	5	10	5	2.65	743259	1337411	309	120	-50	42	NE0850
TAC0071	46	47	1	3.16	743146	1337595	313	120	-50	57	NE0950
TAC0072	13	15	2	1.28	743173	1337580	312	120	-50	39	NE0950
TAC0072	18	34	16	0.95							NE0950
TAC0074	2	9	7	1.17	743275	1337519	311	120	-50	40	NE0950
TAC0075	2	3	1	2.03	743317	1337494	309	120	-50	27	NE0950
TAC0076	15	19	4	0.99	743362	1337467	307	120	-50	45	NE0950
TAC0076	23	31	8	0.78							NE0950
TAC0077	14	16	2	2.54	743219	1337668	311	120	-50	24	NE1050
TAC0083	4	5	1	2.68	743412	1337554	308	120	-50	39	NE1050
TAC0084	28	30	2	4.66	743433	1337542	308	120	-50	51	NE1050
TAC0087	21	22	1	2.85	743384	1337676	309	120	-50	32	NE1150
TAC0093	8	10	2	1.48	743459	1337648	308	120	-50	15	NE1150
TAC0095	29	33	4	0.57	743475	1337638	308	120	-50	51	NE1150
TAC0096	37	43	6	0.84	743503	1337621	309	120	-50	43	NE1150
TAC0100	31	37	6	1.05	743503	1337745	309	120	-50	38	NE1250
TAC0101	9	23	14	1.12	743524	1337734	308	120	-50	39	NE1250
TAC0101	26	29	3	2.82							NE1250
TAC0101	36	38	2	1.02							NE1250
TAC0102	3	15	12	1.53	743544	1337720	308	120	-50	27	NE1250
TAC0115	0	2	2	1.14	742424	1336344	318	120	-50	36	SW0500
TAC0116	12	29	17	2.23	742465	1336435	318	120	-50	52	SW0400
TAN11-DD-36	23.5	34	10.5	1.09	742710	1336867	315	120	-50	205	NE0100
TAN11-DD-36	55	58	3	2.46							NE0100

Hole ID	From	To	Interval	Au g/t	Easting	Northing	RL	Azimuth	Dip	EOH	Section
TAN11-DD-36	67	71.5	4.5	0.87							NE0100
TAN12-DD-71	58.5	66	7.5	0.74	742653	1336900	313	120	-50	252	NE0100
TAN12-DD-71	126	132	6	0.71							NE0100
TAN12-DD-71	166.5	172.5	6	3.57							NE0100
TAN12-DD-71	175.5	178.5	3	3.68							NE0100
TAN10-RC-18	60	66	6	4.69	742811	1336866	314	300	-50	200	NE0150
TAN10-RC-18	72	90	18	0.55							NE0150
TAN11-DD-37	117.5	131	13.5	1.06	742699	1336930	316	120	-50	223	NE0150
TAN11-DD-37	137	156.5	19.5	1.30							NE0150
TAN11-DD-38	3	13	10	0.85	742749	1336900	315	120	-50	152	NE0150
TAN11-DD-38	17.5	25	7.5	0.52							NE0150
TAN11-DD-38	49	52	3	3.34							NE0150
TAN10-RC-08	62	78	16	2.15	742875	1336943	312	300	-50	142	NE0250
TAN10-RC-08	88	108	20	1.40							NE0250
TAN10-RC-08	114	118	4	0.78							NE0250
TAN10-RC-17	88	104	16	0.59	742921	1336918	314	300	-50	199	NE0250
TAN10-RC-17	134	148	14	1.05							NE0250
TAN10-RC-17	152	162	10	0.95							NE0250
TAN10-RC-17	166	172	6	1.17							NE0250
TAN11-DD-19	14	24.5	10.5	0.59	742880	1336940	312	300	-50	203	NE0250
TAN11-DD-19	71	89	18	1.07							NE0250
TAN11-DD-19	96.5	125	28.5	1.34							NE0250
TAN11-DD-21	18.5	20	1.5	3.97	742781	1336998	315	120	-50	272	NE0250
TAN11-DD-21	51.5	54.5	3	1.06							NE0250
TAN11-DD-21	68	87.5	19.5	1.45							NE0250
TAN11-DD-21	99.9	108.5	8.6	5.85							NE0250
TAN11-DD-21	114.5	117.5	3	1.97							NE0250
TAN11-DD-21	134	140	6	1.36							NE0250
TAN11-DD-21	143	147.5	4.5	0.79							NE0250
TAN11-DD-34	155.5	157	1.5	2.07	742726	1337032	316	120	-50	322	NE0250
TAN11-DD-34	160	164.5	4.5	0.98							NE0250
TAN11-DD-34	176.5	190	13.5	0.99							NE0250
TAN11-DD-34	216.3	224	7.7	0.95							NE0250
TAN10-RC-20	2	6	4	1.08	742928	1337033	312	300	-50	200	NE0350
TAN10-RC-20	54	60	6	0.51							NE0350
TAN10-RC-20	70	74	4	1.03							NE0350
TAN10-RC-20	82	84	2	3.51							NE0350
TAN10-RC-20	88	96	8	1.28							NE0350
TAN10-RC-20	108	112	4	0.76							NE0350
TAN10-RC-20	166	172	6	6.57							NE0350
TAN11-DD-23	111.5	116	4.5	0.79	742815	1337097	316	120	-50	302	NE0350
TAN11-DD-23	126.5	129.1	2.6	1.71							NE0350
TAN11-DD-23	135.2	137	1.8	3.88							NE0350
TAN11-DD-23	162.5	170	7.5	2.62							NE0350
TAN11-DD-23	195.5	207.5	12	1.01							NE0350
TAN11-DD-25	39	66	27	1.58	742908	1337042	313	120	-65	201	NE0350
TAN11-DD-25	72	75	3	1.22							NE0350
TAN11-DD-25	78	84	6	1.12							NE0350
TAN11-DD-47	5	33.5	28.5	3.41	742865	1337071	314	120	-50	169	NE0350
TAN11-DD-47	38	42.5	4.5	1.51							NE0350
TAN11-DD-47	50	55	5	0.86							NE0350
TAN11-DD-47	88	106	18	1.67							NE0350
TAN11-DD-47	110.5	133	22.5	0.93							NE0350
TAN11-RC-42	90	118	28	1.30	742990	1337003	313	300	-50	158	NE0350
TAN11-RC-42	150	158	8	1.02							NE0350
TAN10-RC-21	32	46	14	1.15	742983	1337113	312	300	-49	186	NE0450
TAN10-RC-21	82	90	8	1.15							NE0450
TAN10-RC-21	94	104	10	1.53							NE0450
TAN10-RC-21	120	124	4	1.03							NE0450
TAN10-RC-21	174	180	6	1.63							NE0450
TAN11-DD-01	24	31	7	0.58	742904	1337156	314	120	-50	263	NE0450

Hole ID	From	To	Interval	Au g/t	Easting	Northing	RL	Azimuth	Dip	EOH	Section
TAN11-DD-01	35	46	11	0.85							NE0450
TAN11-DD-01	76	95.9	19.9	0.90							NE0450
TAN11-DD-01	110	140	30	1.29							NE0450
TAN11-DD-01	146	168	22	1.45							NE0450
TAN11-DD-02	34	61.1	27.1	1.97	743043	1337076	312	300	-50	256	NE0450
TAN11-DD-02	65.8	90	24.2	1.93							NE0450
TAN11-DD-02	96	102	6	1.11							NE0450
TAN11-DD-02	108	112	4	1.25							NE0450
TAN11-DD-02	158.3	162	3.7	1.84							NE0450
TAN11-DD-02	219.4	228	8.6	1.32							NE0450
TAN11-DD-28	21.5	23	1.5	14.40	742808	1337212	316	120	-50	323	NE0450
TAN11-DD-28	63.5	65	1.5	2.18							NE0450
TAN11-DD-28	125	131	6	1.66							NE0450
TAN11-DD-28	209	215	6	2.35							NE0450
TAN11-DD-28	236.4	240.5	4.1	1.21							NE0450
TAN11-DD-28	252.5	257	4.5	0.67							NE0450
TAN11-DD-28	285.5	303.5	18	0.91							NE0450
TAN11-DD-39	3.5	9.5	6	0.73	742964	1337128	313	120	-50	155	NE0450
TAN11-DD-39	14	20	6	0.62							NE0450
TAN11-DD-39	30.5	35	4.5	1.61							NE0450
TAN11-DD-39	41	48.5	7.5	0.74							NE0450
TAN11-DD-39	57.5	80	22.5	1.57							NE0450
TAN11-DD-39	83	95	12	1.64							NE0450
TAN11-RC-39	28	78	50	2.18	743039	1337078	312	300	-50	150	NE0450
TAN11-RC-39	82	100	18	1.56							NE0450
TAN11-RC-39	104	112	8	1.33							NE0450
TAN11-RC-70	150	178	28	1.47	743089	1337058	313	300	-49	204	NE0450
TAN11-RC-70	182	196	14	0.78							NE0450
TAN10-RC-22	14	18	4	0.89	743031	1337196	311	300	-50	204	NE0550
TAN10-RC-22	42	46	4	1.27							NE0550
TAN10-RC-22	60	66	6	0.76							NE0550
TAN10-RC-22	72	78	6	0.53							NE0550
TAN10-RC-22	88	92	4	0.83							NE0550
TAN11-DD-03	9	19.5	10.5	1.09	742963	1337235	314	120	-50	201	NE0550
TAN11-DD-03	36	40.5	4.5	5.81							NE0550
TAN11-DD-03	60	61.5	1.5	11.60							NE0550
TAN11-DD-03	152.2	168	15.8	1.70							NE0550
TAN11-DD-05	12	19.5	7.5	2.08	743030	1337197	312	300	-50	252	NE0550
TAN11-DD-05	40.8	44	3.2	1.27							NE0550
TAN11-DD-05	61.5	63	1.5	5.32							NE0550
TAN11-DD-05	69	75	6	0.77							NE0550
TAN11-DD-05	144	147	3	1.33							NE0550
TAN11-DD-05	202.5	207	4.5	8.86							NE0550
TAN11-DD-31	107	113	6	0.54	742913	1337263	313	120	-50	272	NE0550
TAN11-DD-31	136.6	141.5	4.9	0.80							NE0550
TAN11-DD-31	219.5	234.5	15	1.20							NE0550
TAN11-DD-41	15	19.5	4.5	0.72	743020	1337214	312	120	-50	152	NE0550
TAN11-DD-41	74	96.5	22.5	1.54							NE0550
TAN11-RC-69	4	32	28	1.39	743084	1337171	311	300	-50	60	NE0550
TAN11-RC-69	36	42	6	1.51							NE0550
TAN11-DD-04	118.7	120	1.3	2.43	743194	1337223	312	300	-50	250	NE0650
TAN11-DD-04	123	136	13	1.17							NE0650
TAN11-DD-04	139	147.3	8.3	0.89							NE0650
TAN11-DD-04	152	156	4	0.78							NE0650
TAN11-DD-04	161.2	166.5	5.3	2.24							NE0650
TAN11-DD-04	184.9	186	1.1	24.60							NE0650
TAN11-DD-04	210.5	211.5	1	22.15							NE0650
TAN11-DD-04	227.5	232	4.5	0.99							NE0650
TAN11-DD-07	4.5	12	7.5	1.19	743023	1337321	311	120	-50	192	NE0650
TAN11-DD-07	73.8	81	7.2	0.70							NE0650
TAN11-DD-07	84	90	6	0.88							NE0650

Hole ID	From	To	Interval	Au g/t	Easting	Northing	RL	Azimuth	Dip	EOH	Section
TAN11-DD-07	99	106	7	1.03							NE0650
TAN11-DD-07	124.5	127.5	3	1.13							NE0650
TAN11-DD-07	153	163.5	10.5	1.12							NE0650
TAN11-DD-33	177.5	182.8	5.3	1.32	742971	1337353	314	120	-50	263	NE0650
TAN11-DD-33	212	234.5	22.5	2.20							NE0650
TAN11-DD-42	1.5	9.5	8	0.78	743078	1337289	310	120	-50	168	NE0650
TAN11-DD-42	30.5	38	7.5	1.26							NE0650
TAN11-DD-42	56	60.5	4.5	0.74							NE0650
TAN11-DD-42	69.5	89	19.5	1.31							NE0650
TAN11-RC-31	56	68	12	0.64	743167	1337236	312	300	-56	86	NE0650
TAN11-RC-31	72	84	12	0.86							NE0650
TAN11-RC-32	70	76	6	2.57	743123	1337261	311	300	-56	96	NE0650
TAN11-RC-33	80	82	2	3.34	743072	1337292	311	300	-56	90	NE0650
TAN11-RC-34	58	60	2	2.24	743022	1337322	311	300	-59	102	NE0650
TAN11-DD-06	13.5	19.5	6	1.21	743148	1337364	311	120	-50	150	NE0750
TAN11-DD-06	43	44.8	1.8	6.03							NE0750
TAN11-DD-06	49.2	72	22.8	0.82							NE0750
TAN11-DD-08	144	150	6	0.96	743064	1337410	313	120	-50	249	NE0750
TAN11-DD-08	153	156	3	1.36							NE0750
TAN11-DD-08	168	180	12	0.89							NE0750
TAN11-DD-08	184.5	190.5	6	1.72							NE0750
TAN11-DD-08	246	249	3	1.16							NE0750
TAN11-DD-09	92	104	12	2.51	743106	1337387	312	120	-50	203	NE0750
TAN11-DD-09	114.5	135.5	21	0.84							NE0750
TAN11-DD-10	78.5	80	1.5	4.01	743020	1337434	314	120	-50	301	NE0750
TAN11-DD-10	83	89	6	0.60							NE0750
TAN11-DD-10	101	110	9	0.70							NE0750
TAN11-DD-10	113	119	6	0.71							NE0750
TAN11-DD-10	204.5	213.5	9	1.03							NE0750
TAN11-DD-10	222.9	248	25.1	1.89							NE0750
TAN11-DD-49	108.5	110	1.5	2.23	742977	1337459	315	120	-50	357	NE0750
TAN11-DD-49	272	300	28	1.50							NE0750
TAN11-RC-40	64	114	50	1.49	743226	1337316	310	300	-50	116	NE0750
TAN11-RC-61	2	18	16	1.58	743171	1337341	310	300	-50	90	NE0750
TAN11-RC-61	42	44	2	3.05							NE0750
TAN11-RC-61	62	70	8	0.57							NE0750
TAN11-RC-85	86	90	4	0.78	743129	1337373	311	300	-50	90	NE0750
TAN12-DD-63	6	7.5	1.5	3.39	743209	1337327	310	120	-50	198	NE0750
TAN11-DD-11	31.4	38	6.6	0.90	743201	1337449	311	120	-50	272	NE0850
TAN11-DD-11	41	51.5	10.5	1.16							NE0850
TAN11-DD-11	54.5	63.5	9	1.58							NE0850
TAN11-DD-11	66.5	69.6	3.1	1.32							NE0850
TAN11-DD-11	74	78.5	4.5	0.94							NE0850
TAN11-DD-11	87.9	101.8	13.9	1.61							NE0850
TAN11-DD-12	97.3	110	12.7	1.21	743148	1337473	311	120	-50	305	NE0850
TAN11-DD-12	113	126.5	13.5	1.07							NE0850
TAN11-DD-12	154.2	162.5	8.3	0.59							NE0850
TAN11-DD-12	167	176	9	1.16							NE0850
TAN11-DD-12	204.5	210.5	6	0.97							NE0850
TAN11-DD-12	239	245	6	0.90							NE0850
TAN11-RC-41	42	46	4	0.86	743289	1337397	308	300	-50	96	NE0850
TAN11-RC-41	52	64	12	1.21							NE0850
TAN11-RC-41	78	88	10	0.67							NE0850
TAN11-RC-62	12	54	42	1.48	743245	1337424	310	300	-49	90	NE0850
TAN11-RC-68	88	92	4	1.72	743345	1337366	311	300	-50	138	NE0850
TAN11-DD-13	32	42.5	10.5	1.42	743251	1337533	311	120	-50	250	NE0950
TAN11-DD-13	48.5	59	10.5	0.64							NE0950
TAN11-DD-13	134	140	6	0.77							NE0950
TAN11-DD-13	143	150.5	7.5	1.03							NE0950
TAN11-DD-14	88.5	93	4.5	1.26	743296	1337508	310	120	-50	207	NE0950
TAN11-DD-14	97.5	100.5	3	1.22							NE0950

Hole ID	From	To	Interval	Au g/t	Easting	Northing	RL	Azimuth	Dip	EOH	Section
TAN11-DD-14	115.5	121.5	6	0.84							NE0950
TAN11-DD-14	180	186	6	0.86							NE0950
TAN11-DD-15	9.5	12.5	3	6.19	743336	1337486	308	120	-50	155	NE0950
TAN11-DD-15	48.5	50.2	1.7	5.80							NE0950
TAN11-DD-15	62.4	68	5.6	0.76							NE0950
TAN11-DD-44	203	204.5	1.5	2.12	743198	1337565	311	120	-50	320	NE0950
TAN11-DD-44	242	243.5	1.5	4.66							NE0950
TAN11-RC-65	0	6	6	1.10	743283	1337520	310	300	-50	90	NE0950
TAN11-RC-66	6	24	18	1.62	743390	1337453	308	300	-51	132	NE0950
TAN11-RC-66	40	46	6	5.57							NE0950
TAN11-RC-66	68	76	8	0.92							NE0950
TAN11-RC-66	82	86	4	0.90							NE0950
TAN11-RC-66	102	106	4	0.86							NE0950
TAN11-DD-18	119	128	9	1.63	743382	1337572	309	120	-50	196	NE1050
TAN11-DD-18	168.5	174.5	6	0.72							NE1050
TAN11-RC-67	46	54	8	1.55	743472	1337522	308	300	-50	126	NE1050
TAN11-RC-67	96	102	6	0.60							NE1050
TAN11-RC-78	12	16	4	0.77	743509	1337617	309	300	-49	90	NE1150
TAN11-RC-79	36	40	4	0.84	743615	1337672	307	300	-50	100	NE1250
TAN11-RC-80	98	100	2	2.13	743571	1337697	308	300	-50	108	NE1250
TAN11-RC-83	66	74	8	0.90	743585	1337809	307	300	-50	78	NE1350

Hole ID	From	To	Interval	Au g/t	Easting	Northing	RL	Azimuth	Dip	EOH	Section
TAC0044	0	1	1	3.67	742740	1336850	314	120	-50	60	NE0100
TAC0045	52	54	2	3.19	742735	1336909	313	120	-50	57	NE0150
TAC0048	41	50	9	11.35	742812	1336981	313	120	-50	54	NE0250
TAC0050	35	36	1	41.51	742839	1337081	315	120	-50	60	NE0350
TAC0050	57	59	2	3.86							NE0350
TAC0051	13	14	1	4.88	742882	1337056	315	120	-50	49	NE0350
TAC0051	21	22	1	21.22							NE0350
TAC0054	5	8	3	5.48	743011	1337094	312	120	-50	45	NE0450
TAC0058	19	20	1	3.62	743111	1337269	309	120	-50	57	NE0650
TAC0058	23	25	2	2.48							NE0650
TAC0060	21	23	2	4.39	743044	1337422	314	120	-50	35	NE0750
TAC0062	36	37	1	4.98	743130	1337372	311	120	-50	42	NE0750
TAC0062	40	41	1	5.34							NE0750
TAC0066	13	14	1	5.01	743125	1337483	312	120	-50	25	NE0850
TAC0070	6	8	2	5.31	743259	1337411	309	120	-50	42	NE0850
TAC0071	46	47	1	3.16	743146	1337595	313	120	-50	57	NE0950
TAC0072	31	32	1	3.75	743173	1337580	312	120	-50	39	NE0950
TAC0077	15	16	1	4.43	743219	1337668	311	120	-50	24	NE1050
TAC0084	28	29	1	8.06	743433	1337542	308	120	-50	51	NE1050
TAC0101	16	17	1	4.01	743524	1337734	308	120	-50	39	NE1250
TAC0101	20	21	1	4.22							NE1250
TAC0101	26	28	2	3.24							NE1250
TAC0102	11	15	4	2.74	743544	1337720	308	120	-50	27	NE1250
TAC0116	12	14	2	3.78	742465	1336435	318	120	-50	52	SW0400
TAC0116	24	29	5	4.56							SW0400
TAN11-DD-36	55	56.5	1.5	3.36	742710	1336867	315	120	-50	205	NE0100
TAN12-DD-71	169.5	172.5	3	6.08	742653	1336900	313	120	-50	252	NE0100
TAN12-DD-71	175.5	177	1.5	6.78							NE0100
TAN10-RC-18	62	64	2	11.80	742811	1336866	314	300	-50	200	NE0150
TAN11-DD-37	122	123.5	1.5	3.02	742699	1336930	316	120	-50	223	NE0150
TAN11-DD-37	129.5	131	1.5	2.37							NE0150
TAN11-DD-37	138.5	141.5	3	2.75							NE0150
TAN11-DD-37	146	147.5	1.5	2.80							NE0150
TAN11-DD-38	50.5	52	1.5	5.30	742749	1336900	315	120	-50	152	NE0150

Hole ID	From	To	Interval	Au g/t	Easting	Northing	RL	Azimuth	Dip	EOH	Section
TAN10-RC-08	68	72	4	3.00	742875	1336943	312	300	-50	142	NE0250
TAN10-RC-08	76	78	2	7.63							NE0250
TAN10-RC-08	90	92	2	3.51							NE0250
TAN10-RC-08	104	106	2	2.68							NE0250
TAN10-RC-17	140	142	2	3.37	742921	1336918	314	300	-50	199	NE0250
TAN10-RC-17	152	154	2	2.31							NE0250
TAN11-DD-19	81.5	84	2.5	3.68	742880	1336940	312	300	-50	203	NE0250
TAN11-DD-19	99.45	100.5	1.05	3.85							NE0250
TAN11-DD-19	110	114	4	2.15							NE0250
TAN11-DD-19	117.5	119	1.5	3.69							NE0250
TAN11-DD-21	18.5	20	1.5	3.97	742781	1336998	315	120	-50	272	NE0250
TAN11-DD-21	68	69.5	1.5	2.11							NE0250
TAN11-DD-21	75.5	77	1.5	2.21							NE0250
TAN11-DD-21	80	84.5	4.5	2.28							NE0250
TAN11-DD-21	104	108.5	4.5	10.08							NE0250
TAN11-DD-21	116	117.5	1.5	3.34							NE0250
TAN11-DD-21	134	135.5	1.5	2.65							NE0250
TAN11-DD-34	178	179.5	1.5	2.44	742726	1337032	316	120	-50	322	NE0250
TAN10-RC-20	82	84	2	3.51	742928	1337033	312	300	-50	200	NE0350
TAN10-RC-20	166	168	2	18.70							NE0350
TAN11-DD-23	128	129.1	1.1	3.27	742815	1337097	316	120	-50	302	NE0350
TAN11-DD-23	135.2	137	1.8	3.88							NE0350
TAN11-DD-23	162.5	164	1.5	3.64							NE0350
TAN11-DD-23	167	170	3	4.03							NE0350
TAN11-DD-23	206	207.5	1.5	2.51							NE0350
TAN11-DD-25	39	40.5	1.5	3.64	742908	1337042	313	120	-65	201	NE0350
TAN11-DD-25	45	46.5	1.5	4.73							NE0350
TAN11-DD-25	61.5	63	1.5	3.89							NE0350
TAN11-DD-47	8	12.5	4.5	11.15	742865	1337071	314	120	-50	169	NE0350
TAN11-DD-47	23	29	6	5.41							NE0350
TAN11-DD-47	41	42.5	1.5	3.62							NE0350
TAN11-DD-47	92.5	97	4.5	3.13							NE0350
TAN11-DD-47	101.5	103	1.5	2.58							NE0350
TAN11-DD-47	116.5	118	1.5	2.13							NE0350
TAN11-DD-47	130	131.5	1.5	2.28							NE0350
TAN11-RC-42	92	94	2	4.50	742990	1337003	313	300	-50	158	NE0350
TAN11-RC-42	100	102	2	2.47							NE0350
TAN10-RC-21	42	44	2	3.91	742983	1337113	312	300	-49	186	NE0450
TAN10-RC-21	88	90	2	2.21							NE0450
TAN10-RC-21	96	100	4	2.59							NE0450
TAN10-RC-21	174	176	2	2.18							NE0450
TAN10-RC-21	178	180	2	2.15							NE0450
TAN11-DD-01	120	122	2	3.19	742904	1337156	314	120	-50	263	NE0450
TAN11-DD-01	136	138	2	5.60							NE0450
TAN11-DD-01	148	150	2	5.72							NE0450
TAN11-DD-02	42	52	10	3.18	743043	1337076	312	300	-50	256	NE0450
TAN11-DD-02	58.6	60	1.4	2.84							NE0450
TAN11-DD-02	66	68	2	2.47							NE0450
TAN11-DD-02	70	72	2	2.15							NE0450
TAN11-DD-02	76	82	6	3.29							NE0450
TAN11-DD-02	86	88	2	2.81							NE0450
TAN11-DD-02	223	224.5	1.5	2.37							NE0450
TAN11-DD-28	21.5	23	1.5	14.40	742808	1337212	316	120	-50	323	NE0450
TAN11-DD-28	63.5	65	1.5	2.18							NE0450
TAN11-DD-28	129.5	131	1.5	4.17							NE0450
TAN11-DD-28	212	213.5	1.5	7.59							NE0450
TAN11-DD-28	293	294.5	1.5	2.95							NE0450
TAN11-DD-39	30.5	32	1.5	2.78	742964	1337128	313	120	-50	155	NE0450
TAN11-DD-39	57.5	59	1.5	3.92							NE0450
TAN11-DD-39	62	69.5	7.5	2.04							NE0450
TAN11-DD-39	75.5	77	1.5	2.69							NE0450

Hole ID	From	To	Interval	Au g/t	Easting	Northing	RL	Azimuth	Dip	EOH	Section
TAN11-DD-39	86	89	3	3.78							NE0450
TAN11-RC-39	36	46	10	2.31	743039	1337078	312	300	-50	150	NE0450
TAN11-RC-39	52	54	2	13.25							NE0450
TAN11-RC-39	58	66	8	4.57							NE0450
TAN11-RC-39	92	96	4	4.52							NE0450
TAN11-RC-39	108	110	2	2.34							NE0450
TAN11-RC-70	152	154	2	2.50	743089	1337058	313	300	-49	204	NE0450
TAN11-RC-70	162	170	8	2.30							NE0450
TAN11-DD-03	15	16.5	1.5	3.57	742963	1337235	314	120	-50	201	NE0550
TAN11-DD-03	39	40.5	1.5	15.50							NE0550
TAN11-DD-03	60	61.5	1.5	11.60							NE0550
TAN11-DD-03	153	159	6	2.69							NE0550
TAN11-DD-05	12	15	3	3.90	743030	1337197	312	300	-50	252	NE0550
TAN11-DD-05	61.5	63	1.5	5.32							NE0550
TAN11-DD-05	205.5	207	1.5	25.30							NE0550
TAN11-DD-31	227	228.5	1.5	3.08	742913	1337263	313	120	-50	272	NE0550
TAN11-DD-31	233	234.5	1.5	2.59							NE0550
TAN11-DD-41	77	78.5	1.5	2.68	743020	1337214	312	120	-50	152	NE0550
TAN11-DD-41	80	81.5	1.5	2.21							NE0550
TAN11-DD-41	84.5	86	1.5	2.50							NE0550
TAN11-DD-41	90.5	93.5	3	3.98							NE0550
TAN11-RC-69	6	8	2	3.10	743084	1337171	311	300	-50	60	NE0550
TAN11-RC-69	14	16	2	2.54							NE0550
TAN11-RC-69	28	30	2	3.84							NE0550
TAN11-DD-04	129	130.3	1.3	3.50	743194	1337223	312	300	-50	250	NE0650
TAN11-DD-04	164.2	165.2	1	4.47							NE0650
TAN11-DD-04	184.9	186	1.1	24.60							NE0650
TAN11-DD-04	227.5	229	1.5	2.24							NE0650
TAN11-DD-07	7.5	9	1.5	3.24	743023	1337321	311	120	-50	192	NE0650
TAN11-DD-33	213.35	218	4.65	6.54	742971	1337353	314	120	-50	263	NE0650
TAN11-DD-33	221	222.5	1.5	3.05							NE0650
TAN11-DD-42	35	36.5	1.5	2.49	743078	1337289	310	120	-50	168	NE0650
TAN11-DD-42	69.5	72.5	3	4.62							NE0650
TAN11-RC-32	72	74	2	5.82	743123	1337261	311	300	-56	96	NE0650
TAN11-RC-33	80	82	2	3.34	743072	1337292	311	300	-56	90	NE0650
TAN11-RC-34	58	60	2	2.24	743022	1337322	311	300	-59	102	NE0650
TAN11-DD-06	15	16.5	1.5	2.11	743148	1337364	311	120	-50	150	NE0750
TAN11-DD-06	43	44.8	1.8	6.03							NE0750
TAN11-DD-08	148.5	150	1.5	2.44	743064	1337410	313	120	-50	249	NE0750
TAN11-DD-08	154.5	156	1.5	2.05							NE0750
TAN11-DD-08	186	187	1	3.69							NE0750
TAN11-DD-08	189	190.5	1.5	2.23							NE0750
TAN11-DD-09	95	96.5	1.5	15.40	743106	1337387	312	120	-50	203	NE0750
TAN11-DD-10	78.5	80	1.5	4.01	743020	1337434	314	120	-50	301	NE0750
TAN11-DD-10	225.5	227	1.5	2.23							NE0750
TAN11-DD-10	230	236	6	4.99							NE0750
TAN11-DD-49	108.5	110	1.5	2.23	742977	1337459	315	120	-50	357	NE0750
TAN11-DD-49	276.5	279.5	3	2.57							NE0750
TAN11-DD-49	284	285.5	1.5	6.49							NE0750
TAN11-DD-49	299	300	1	3.73							NE0750
TAN11-RC-40	64	66	2	2.37	743226	1337316	310	300	-50	116	NE0750
TAN11-RC-40	86	94	8	4.81							NE0750
TAN11-RC-61	2	4	2	3.22	743171	1337341	310	300	-50	90	NE0750
TAN11-RC-61	8	10	2	2.74							NE0750
TAN11-RC-61	14	16	2	3.69							NE0750
TAN11-RC-61	42	44	2	3.05							NE0750
TAN12-DD-63	6	7.5	1.5	3.39	743209	1337327	310	120	-50	198	NE0750
TAN11-DD-11	57.5	60.5	3	3.52	743201	1337449	311	120	-50	272	NE0850
TAN11-DD-11	96.5	101.8	5.3	2.88							NE0850
TAN11-DD-12	102.5	104	1.5	2.25	743148	1337473	311	120	-50	305	NE0850
TAN11-DD-12	107	108.5	1.5	2.51							NE0850

Hole ID	From	To	Interval	Au g/t	Easting	Northing	RL	Azimuth	Dip	EOH	Section
TAN11-DD-12	<i>116</i>	<i>117.5</i>	<i>1.5</i>	<i>2.14</i>							NE0850
TAN11-DD-12	<i>168.5</i>	<i>170</i>	<i>1.5</i>	<i>2.35</i>							NE0850
TAN11-RC-62	24	26	2	5.68	743245	1337424	310	300	-49	90	NE0850
TAN11-RC-62	36	38	2	2.21							NE0850
TAN11-RC-62	42	44	2	5.03							NE0850
TAN11-RC-68	88	90	2	2.86	743345	1337366	311	300	-50	138	NE0850
TAN11-DD-13	<i>36.5</i>	<i>37.7</i>	<i>1.2</i>	<i>4.98</i>	<i>743251</i>	<i>1337533</i>	<i>311</i>	<i>120</i>	<i>-50</i>	<i>250</i>	NE0950
TAN11-DD-15	11	12.5	1.5	11.80	743336	1337486	308	120	-50	155	NE0950
TAN11-DD-15	<i>48.5</i>	<i>50.2</i>	<i>1.7</i>	<i>5.80</i>							NE0950
TAN11-DD-44	203	204.5	1.5	2.12	743198	1337565	311	120	-50	320	NE0950
TAN11-DD-44	242	243.5	1.5	4.66							NE0950
TAN11-RC-66	6	8	2	3.66	743390	1337453	308	300	-51	132	NE0950
TAN11-RC-66	12	14	2	4.90							NE0950
TAN11-RC-66	22	24	2	2.31							NE0950
TAN11-RC-66	44	46	2	14.20							NE0950
TAN11-DD-18	<i>120.5</i>	<i>122</i>	<i>1.5</i>	<i>4.62</i>	<i>743382</i>	<i>1337572</i>	<i>309</i>	<i>120</i>	<i>-50</i>	<i>196</i>	NE1050
TAN11-RC-67	52	54	2	2.40	743472	1337522	308	300	-50	126	NE1050
TAN11-RC-80	98	100	2	2.13	743571	1337697	308	300	-50	108	NE1250

- Results in bold are from the current drilling program, historic results are in italics
- All holes are either Reverse Circulation (RC) or Diamond Core Drill Holes.
- All reported intersections from the current 2014 program are assayed at 1m intervals. Historic diamond drilling by Channel was sampled generally on 1.5m lengths, historic RC was sampled on 2m intervals.
- Mineralised intervals reported with a maximum of 2 metre of internal dilution of less than 0.50g/t gold. No top cut.
- Sample preparation and Fire Assay conducted by BIGS Ouagadougou. Assayed by 30 gram (Historically) or 50g (Currently) fire assay with AAS finish.
- QA/QC protocol: For diamond core one blank and one standard inserted for every 18 core samples (2 QA/QC samples within every 20 samples dispatched, or 1 QA/QC sample per 10 samples dispatched) and no duplicates.
- QA/QC protocol: For RC samples we insert one blank, one standard and one duplicate for every 17 samples (3 QA/QC within every 20 samples or 1 every 8.5 samples).

About West African Resources and the Boulsa Gold Project

The Boulsa Project in Burkina Faso covers over 6,000km² and 200km of strike length of early Proterozoic Birimian greenstone belts which are highly prospective for gold mineralisation. In January 2014 West African Resources Ltd acquired Channel Resources Ltd, which owns the Tanlouka Permit hosting the Mankarga 5 deposit.

West African Resources Ltd is focused on cost-effective exploration, by keeping our administration and corporate costs to a minimum and exploring as expeditiously as possible. We own and operate a fleet of six drill rigs which are working continuously on the Boulsa Gold Project. Our drill fleet includes three auger rigs, one RAB rig and two multi-purpose RC-diamond rigs. In Burkina Faso we have a local exploration, drilling and support team of more than 50 people. The Company is committed to the training and development of our local workforce.

The information relating to the Mankarga 5 Mineral Resource Estimate is extracted from Channel's NI43-101 report dated August 17, 2012 and is available to view on www.westafricanresources.com and on Channel Resources Ltd's profile on www.sedar.com. Supplementary information about the Mangarga 5 Mineral Resource is also included in the Company's December 2013 Quarterly Report.

For further information contact:

Richard Hyde	Nathan Ryan
Managing Director	Investor Relations
Ph: 0413 874 740	Ph: 0420 582 887

Email: info@westafricanresources.com

Competent Person's Statement

Information in this announcement that relates to exploration results, exploration targets or mineral resources is based on information compiled by Mr Richard Hyde, a Director, who is a Member of The Australian Institute of Mining and Metallurgy and Australian Institute of Geoscientists. Mr Hyde has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (the JORC Code) and a Qualified Person under National Instrument 43-101. Mr Hyde consents to the inclusion in this announcement of the statements based on his information in the form and context in which they appear.

Forward Looking Information

This announcement has been prepared in compliance with the JORC Code 2012 Edition, the ASX Listing Rules and NI-43-101.

The information relating to the Mankarga 5 Mineral Resource Estimate is extracted from Channel's NI43-101 report dated August 17, 2012 and is available to view on www.westafricanresources.com and on Channel Resources Ltd's profile on www.sedar.com. Supplementary information about the Mangarga 5 Mineral Resource is also included in the Company's December 2013 Quarterly Report.

This news release contains "forward-looking information" within the meaning of applicable Canadian and Australian securities legislation, including information relating to West African's future financial or operating performance may be deemed "forward looking". All statements in this news release, other than statements of historical fact, that address events or developments that West African expects to occur, are "forward-looking statements". Forward-looking statements are statements that are not historical facts and are generally, but not always, identified by the words "expects", "does not expect", "plans", "anticipates", "does not anticipate", "believes", "intends", "estimates", "projects", "potential", "scheduled", "forecast", "budget" and similar expressions, or that events or conditions "will", "would", "may", "could", "should" or "might" occur. All such forward-looking statements are based on the opinions and estimates of the relevant management as of the date such statements are made and are subject to important risk factors and uncertainties, many of which are beyond West African's ability to control or predict. Forward-looking statements are necessarily based on estimates and assumptions that are inherently subject to known and unknown risks, uncertainties and other factors that may cause actual results, level of activity, performance or achievements to be materially different from those expressed or implied by such forward-looking statements. In the case of West African, these facts include their anticipated operations in future periods, planned exploration and development of its properties, and plans related to its business and other matters that may occur in the future. This information relates to analyses and other information that is based on expectations of future performance and planned work programs. Statements concerning mineral resource estimates may also be deemed to constitute forward-looking information to the extent that they involve estimates of the mineralization that will be encountered if a mineral property is developed.

Forward-looking information is subject to a variety of known and unknown risks, uncertainties and other factors which could cause actual events or results to differ from those expressed or implied by the forward-looking information, including, without limitation: exploration hazards and risks; risks related to exploration and development of natural resource properties; uncertainty in West African's ability to obtain funding; gold price fluctuations; recent market events and conditions; risks related to the uncertainty of mineral resource calculations and the inclusion of inferred mineral resources in economic estimation; risks related to governmental regulations; risks related to obtaining necessary licenses and permits; risks related to their business being subject to environmental laws and regulations; risks related to their mineral properties being subject to prior unregistered agreements, transfers, or claims and other defects in title; risks relating to competition from larger companies with greater financial and technical resources; risks relating to the inability to meet financial obligations under agreements to which they are a party; ability to recruit and retain qualified personnel; and risks related to their directors and officers becoming associated with other natural resource companies which may give rise to conflicts of interests. This list is not exhaustive of the factors that may affect West African's forward-looking information. Should one or more of these risks and uncertainties materialize, or should underlying assumptions prove incorrect, actual results may vary materially from those described in the forward-looking information.

West African's forward-looking information is based on the reasonable beliefs, expectations and opinions of their respective management on the date the statements are made and West African does not assume any obligation to update forward looking information if circumstances or management's beliefs, expectations or opinions change, except as required by law. For the reasons set forth above, investors should not place undue reliance on forward-looking information. For a complete discussion with respect to West African, please refer to West African's financial statements and related MD&A, all of which are filed on SEDAR at www.sedar.com.

Neither TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this release.

Section 1: Sampling Techniques and Data		
Criteria	JORC Code Explanation	Commentary
Sampling Technique	<p>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as downhole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling</p> <p>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report.</p> <p>In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</p>	<p>The Mankarga Resource is being drilled using Diamond Core Drilling (DD) and Reverse Circulation (RC) drilling. The drill spacing is being in-filled to a nominal 100m x 20m grid spacing. A total program of 7500m is proposed. Holes were angled towards 120° magnetic where possible at declinations of -50°, to optimally intersect mineralised zones. All RC samples were weighed to determine recoveries. All potentially mineralised zones were then split and sampled at 1m intervals using three-tier riffle splitters. QA/QC procedures were completed as per industry best practice standards (certified blanks and standards and duplicate sampling).</p> <p>Samples were despatched to BIGS in Ouagadougou for sample preparation, where they were crushed, dried and pulverised to produce a sub sample for analysis. BIGS has a fire assay facility in Ouagadougou where 50g fire assays, AAS finishes and screen fire assays have been conducted. Historic sampling preparation and assaying was completed at Abilabs and SGS laboratories located in Ouagadougou. Historic samples were analysed by Fire Assay method with AAS finish.</p>
Drilling	<p>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).</p>	<p>Reverse Circulation "RC" drilling within the resource area comprises 4.5 inch diameter face sampling hammer and aircore blade drilling and hole depths range from 13m to 60m. Diamond drilling in progress comprises both NQ and HQ diameter core, at holes between 75m and 350m depth.</p>
Drill Sample Recovery	<p>Method of recording and assessing core and chip sample recoveries and results assessed.</p> <p>Measures taken to maximise sample recovery and ensure representative nature of the samples.</p> <p>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</p>	<p>RC recoveries are logged and recorded in the database. Overall recoveries are >75% for the RC; there are no significant sample recovery problems. A technician is always present at the rig to monitor and record recovery.</p> <p>RC samples were visually checked for recovery, moisture and contamination.</p> <p>The bulk of the Resource is defined by DD and RC drilling, which have high sample recoveries. The style of mineralisation, with common higher-grades, require large diameter core and good recoveries to evaluate the deposit adequately. The consistency of the mineralised intervals and density of drilling is considered to prevent any sample bias issues due to material loss or gain.</p>
Logging	<p>Whether core and chip samples have been geologically and geotechnical logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</p> <p>Whether logging is qualitative or quantitative in nature. Core (or costean/Trench, channel, etc.) photography.</p> <p>The total length and percentage of the relevant intersections logged.</p>	<p>Geotechnical logging was carried out on all diamond drill holes for recovery, RQD and number of defects (per interval).</p> <p>Information on structure type, dip, dip direction, alpha angle, beta angle, texture, shape, roughness and fill material is stored in the structure/Geotech table of the database.</p> <p>Logging of diamond core and RC samples recorded lithology, mineralogy, mineralisation, structural (DDH only), weathering, alteration, colour and other features of the samples. Core was photographed in both dry and wet form.</p> <p>All drilling has been logged to standard that is appropriate for the category of Resource which is being reported.</p>
Sub-Sampling Technique and Sample Preparation	<p>If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.</p> <p>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</p> <p>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</p> <p>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</p> <p>Whether sample sizes are appropriate to the grain size of the material being sampled.</p>	<p>RC samples were collected on the rig using a three tier riffle splitter. All samples were dry.</p> <p>The sample preparation for all samples follows industry best practice. BIGS in Ouagadougou for sample preparation, where they were crushed, dried and pulverised to produce a sub sample for analysis. Sample preparation involving oven drying, coarse crushing, followed by total pulverisation LM2 grinding mills to a grind size of 90% passing 75 microns.</p> <p>Field QC procedures involve the use of certified reference material as assay standards, blanks, and duplicates for the RC samples only. The insertion rate of these averaged 3:20 for RC. Field duplicates were taken on for both 1m RC splits using a riffle splitter. The sample sizes are considered to be appropriate to correctly represent the style of mineralisation, the thickness and consistency of the intersections.</p>

<p>Quality of Assay Data and Laboratory Tests</p>	<p>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</p>	<p>The laboratory used an aqua regia digest followed by fire assay for with an AAS finish for gold analysis. No geophysical tools were used to determine any element concentrations used in this Resource Estimate. Sample preparation checks for fineness were carried out by the laboratory as part of their internal procedures to ensure the grind size of 90% passing 75 micron was being attained. Laboratory QA/QC involves the use of internal lab standards using certified reference material, blanks, splits and duplicates as part of the in house procedures. Certified reference materials, having a good range of values, were inserted blindly and randomly. Results highlight that sample assay values are accurate and that contamination has been contained. Repeat or duplicate analysis for samples shows that the precision of samples is within acceptable limits. Sample preparation conducted and fire assay performed by BIGS SARL -Assayed by 50g fire assay with AAS finish. QA/QC protocol: For diamond core one blank and one standard inserted for every 18 core samples (2 QA/QC samples within every 20 samples despatched, or 1 QA/QC sample per 10 samples despatched) and no duplicates. QA/QC protocol: For RC samples we insert one blank, one standard and one duplicate for every 17 samples (3 QA/QC within every 20 samples or 1 every 8.5 samples).</p>
<p>Verification of Sampling and Assaying</p>	<p>The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes The verification of significant intersections by either independent or alternative company personnel. Discuss any adjustment to assay data</p>	<p>WAF's QP R. Hyde has verified significant intersections in diamond core and RC drilling. Primary data was collected using a set of company standard Excel™ templates on Toughbook™ laptop computers using lookup codes. The information was validated on-site by the Company's database technicians and then merged and validated into a final Access™ database by the company's database manager.</p>
<p>Location of Data points</p>	<p>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used Quality and adequacy of topographic control</p>	<p>All drill holes have been located by DGPS in UTM grid WGS84 Z30N. Downhole surveys were completed at the end of every hole where possible using a Reflex downhole survey tool, taking measurements every. DGPS was used for topographic control.</p>
<p>Data Spacing and Distribution</p>	<p>Data spacing for reporting of Exploration Results Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied</p>	<p>The nominal drill hole spacing is 20m (northwest) by 100m (northeast). The mineralised domains have demonstrated sufficient continuity in both geological and grade to support the definition of Mineral Resource and Reserves, and the classifications applied under the 2012 JORC Code. Historic samples have been composited to three metre lengths, and adjusted where necessary to ensure that no residual sample lengths have been excluded (best fit). WAF intends to update the Mankarga 5 Resource following the current work programs, in the first quarter of 2014.</p>
<p>Orientation of Data in Relation to Geological Structure</p>	<p>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</p>	<p>The majority of the data is drilled to either magnetic 120° or 300° orientations, which is orthogonal/perpendicular to the orientation of the mineralised trend. The bulk of the drilling is almost perpendicular to the mineralised domains. Structural logging based on oriented core indicates that the main mineralisation controls are largely perpendicular to drill direction. No orientation based sampling bias has been identified in the data at this point.</p>
<p>Sample Security</p>	<p>The measures taken to ensure sample security</p>	<p>Chain of custody is managed by WAF Samples are stored on site and delivered by WAF personnel to BIGS Ouagadougou for sample preparation. Whilst in storage, they are kept under guard in a locked yard. Tracking sheets are used track the progress of batches of samples</p>
<p>Audits or reviews</p>	<p>The results of any audits or reviews of sampling techniques and data.</p>	<p>WAF personnel completed site visits and data review during the due diligence period prior to acquiring Channel Resources Ltd. No material issues were highlighted. During 2012 AMEC completed a site visit and data review as part of the NI43-101 report dated 29 July 2012. No material issues were noted. A copy of the technical report is located on WAF's website.</p>

Section 2 Reporting of Exploration Results		
Criteria	JORC Code Explanation	Commentary
Mineral Tenement and Land Tenure Status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	The Boulsa Project tenements covers over 6,000km ² , granting the holders the right to explore for gold. The tenements have been acquired by either direct grant to WAF or its subsidiaries or by contractual agreements with tenement holders. Apart from the Tanlouka Agreement where Tanlouka SARL holds a 90% interest, all other vendor agreements provide WAF with the right to obtain an ultimate interest of 100%. All licences, permits and claims are granted for gold. All fees have been paid, and the permits are valid and up to date with the Burkinabe authorities. The payment of gross production royalties are provided for by the Mining Code and the amount of royalty to be paid for ranges from 3% (<US\$1300), 4% (\$1300-1500) and 5% (>\$1500).
Exploration Done by Other Parties	Acknowledgment and appraisal of exploration by other parties.	Very little exploration has been carried out over greater project the tenement prior to WAF's involvement which commenced in 2008, with the exception of the Tanlouka Permit. The area comprising the Tanlouka Permit has been held by Channel Resources Ltd since the early 1990's. Work recommenced in earnest on the Tanlouka Permit in 2010. WAF acquired Channel Resources Ltd on January 17th 2014. Available historic records and data were reviewed by both WAF during Due Diligence prior to the acquisition.
Geology	Deposit type, geological setting and style of mineralisation.	The Boulsa Project straddles some 70km strike length of the Manga-Sebba greenstone belt, which bifurcates and trends northeast and east-northeast respectively from southern-central Burkina Faso into Niger over some 450km. The south-eastern portion of the project area covers the southern extension of the Fada N'Gourma Belt. Lithologies comprise volcano-plutonic bodies including amphibolised basalts with amphibolochists, andesites and basalts, rhyolites and rhyodacites, brecciated tuffs, and gabbroic bodies including pyroxenite and serpentinite. Gold mineralisation in the project area is mesothermal orogenic in origin and structurally controlled. The project also contains shear hosted porphyry related copper-gold-molybdenum mineralisation on the Sartenga Permit which is believed to be unique in West Africa."
Drill hole Information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> o easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar o dip and azimuth of the hole o down hole length and interception depth o hole length. <p>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</p>	Intercepts that form the basis of this announcement are tabulated in Table 1 in the body of the announcement and incorporate Hole ID, Easting, Northing, Dip, Azimuth, Depth and Assay data for mineralised intervals. Appropriate maps and plans also accompany this announcement. Complete detailed data on the project is included in the NI-43101 Technical Reports available on the Company's website with the current report dated February 7, 2014.
Data aggregation methods	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated.	All intersections are assayed on one meter intervals No top cuts have been applied to exploration results. Mineralised intervals are reported with a maximum of 2m of internal dilution of less than 0.5g/t Au. Higher grade zones are reported with a maximum of internal dilution of less than 2g/t Au of internal dilution. Mineralised intervals are reported on a weighted average basis.

<p>Relationship between mineralisation widths and intercept lengths</p>	<p>These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</p>	<p>The orientation of the mineralised zone has been established and the majority of the drilling was planned in such a way as to intersect mineralisation in a perpendicular manner. However, due to topographic limitations some holes were drilled from less than ideal orientations.</p>
<p>Diagrams</p>	<p>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</p>	<p>The appropriate plans and sections have been included in the body of this document.</p>
<p>Balanced reporting</p>	<p>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</p>	<p>All grades, high and low, are reported accurately with "from" and "to" depths and "hole identification" shown.</p>
<p>Other substantive exploration data</p>	<p>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</p>	<p>Preliminary metallurgical test work has been completed, with excellent results. Gold recoveries exceed 95% from oxide bottle roll tests, exceed 92% for sulphide bottle roll tests and a significant proportion of the gold is recoverable by gravity concentration. Additional metallurgical test work is planned.</p>
<p>Further work</p>	<p>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</p>	<p>Further infill drilling is planned and is ongoing, aimed at increasing the amount of resource categorized as Indicated, as well as upgrading some of the Indicated Resource to Measured status. Drilling aimed at increasing the Resource below the current depth extent is also planned. A program of dedicated metallurgical and geotechnical drill holes has commenced. A figure showing proposed work programs is included in the body of this report.</p>