

ARS – ASX ANNOUNCEMENT

ASX Announcement ASX: ARS

14th May 2018

ALT'S BOTTLE CREEK PROJECT DELIVERS BONANZA GOLD GRADES FROM THE SOUTHWARK DEPOSIT

HIGHLIGHTS:

- Bonanza grades at Southwark, up to 140 g/t Au
- High grade gold intercepts continue throughout the deposit
- Significant intercepts from Southwark include:
 - 21m @ 10.8 g/t Au, including 4m @ 49.0 g/t Au, including 1m @ 140.0 g/t Au
 - 16m @ 6.4 g/t Au, including 7m @ 10.9 g/t Au
 - > 34m @ 3.4 g/t Au, including 3m @ 7.2 g/t Au, 2m @ 13.1 g/t Au, and 2m @ 16.0 g/t Au
 - > 23m @ 3.2 g/t Au (EOH)
 - > 8m @ 3.1 g/t Au
 - > 13m @ 2.8 g/t Au (EOH)
 - 36m @ 1.8 g/t Au, including 4m @ 7.0 g/t Au
 - > 15m @ 1.8 g/t Au, including 3m @ 6.0 g/t Au
 - > 25m @ 1.7 g/t Au
 - > 19m @ 1.5 g/t Au
 - > 33m @ 1.3 g/t Au, including 4m @ 4.2 g/t Au
- Multiple drillholes ended in mineralisation
- Mineralised zones open and widening at depth
- 11,700m RC drilling now completed at Bottle Creek with resource modelling underway
- First diamond drillhole commenced at Emu

Alt Resources Ltd (ASX: ARS, Alt or 'the Company') is pleased to announce more outstanding results from the RC drilling program at the Southwark deposit, Bottle Creek Gold Project, WA. Southwark is an un-mined deposit that lies 1 km to the north of Emu (Figure 1). The latest Southwark results continue to reveal a coherent, steeply dipping ore zone which appears to be open and broadening at depth. Gold assays have been received from drillholes SWKRC019 to SWKRC037 with individual assays giving bonanza grades up to 140 g/t Au¹. Significant results are listed in detail in Table 1.

The mineralised zone also continues to be characterised by broad, consistently graded zones such as 23m @ 3.2 g/t Au². These broad zones are a positive feature for potential future mining operations, ensuring a minimal 'nugget' effect and a more easily extracted bulk target. Assay results show that a number of holes at Southwark have ended in mineralisation. Cross-sections below (Figure 3-5) reveal that mineralisation is consistently open at depth along the whole strike length of the Southwark deposit tested in this RC program. Mineralisation appears to be widening with depth, whilst maintaining medium to high grade gold values. This deeper, broader zone will be the subject of further drilling later in the year.

.

¹ From drillhole SWKRC022, 61-62m, included in 4m @ 49 g/t Au

² From drillhole SWKRC023, 77-100m






Figure 1. Google Earth view of the Bottle Creek Gold Project, showing the distribution of deposits along strike, including Southwark and Emu where recent drilling has been focussed. Current RC drilling zones are highlighted by the pink drillholes. The several kilometre-long scale of the project is particularly evident in this image.

The initial RC drilling program at the Bottle Creek Project has now been completed, for a total of 11,700 m covering 140 drillholes across the Emu and Southwark deposits. Alt has delivered all RC samples to the ALS laboratory in Kalgoorlie for analysis. Results will continue to be processed and announced over the coming weeks.

DDH1 Drilling have arrived onsite and commenced diamond drilling. This is the first diamond drilling program to be conducted at Bottle Creek since 1987. Alt Resources aims to drill diamond tails across several key RC holes which ended in mineralisation, as well as several deeper holes both at Emu and Southwark. This will enable Alt's geologists to better understand the lithological and structural controls on gold mineralisation at Emu and Southwark. Interpretation of the diamond holes will in turn inform geological and resource modelling for the project.





Figure 2. DDH1 Drilling on the first diamond hole to be drilled at Bottle Creek since 1987.

Alt CEO James Anderson said; "The results we are getting at Bottle Creek exceed all our initial expectations for grade and continuity. These results really speak for themselves. On a different note I have to say our people have done an outstanding job delivering nearly 12,000 metres of RC drilling to ALS in 7 weeks. We now have DDH1 onsite getting some core to have a good look at the rocks. There is enough data currently in hand from the RC drilling to suggest Bottle Creek is not simply a supergene gold deposit as previously thought."

Significant gold intercepts from Alt's new drilling at the un-mined Southwark deposit are listed in detail in Table 1, and include:

- o SWKRC019: 7m @ 1.5 g/t Au from 2m
- SWKRC020: 5m @ 1.7 g/t Au from 2m
- SWKRC021: 5m @ 1.4 g/t Au from 3m
 - and 34m @ 3.4 g/t Au from 35m
 - including 3m @ 7.2 g/t Au from 35m
 - and including 2m @ 13.1 g/t Au from 46m
 - and including 2m @ 16.0 g/t Au from 54m
- SWKRC022: 21m @ 10.8 g/t Au from 49m
 - including 4m @ 49.0 g/t Au from 61m
- SWKRC023: 23m @ 3.2 g/t Au from 77m to EOH
 - and 4m @ 7.1 g/t Au from 79m
- SWKRC024: 7m @ 2.0 g/t Au from 33m
- o SWKRC025: 4m @ 1.8 g/t Au from 4m
- O SWKRC026: 12m @ 1.43 g/t Au from 47m
- SWKRC027: 16m @ 6.4 g/t Au from 73m
 - including 7m @ 10.9 g/t Au from 75m
- SWKRC028: 13m @ 2.8 g/t Au from 41m to EOH
- SWKRC029: 19m @ 1.5 g/t Au from 24m
- SWKRC030: 8m @ 3.1 g/t Au from 52m
 - and 5m @ 2.7 g/t Au from 68m
 - SWKRC031: 36m @ 1.8 g/t Au from 23m
 - including 4m @ 7.0 g/t Au from 55m
- SWKRC032: 25m @ 1.7 g/t Au from 36m
 - and 15m @ 1.8 g/t Au from 67m
 - including 3m @ 6.0 g/t Au from 76m
- SWKRC035: 6m @ 1.7 g/t Au from 32m
 - and 7m @ 2.7 g/t Au from 61m



- SWKRC036: 8m @ 1.5 g/t Au from 43m
- SWKRC037: 13m @ 1.0 g/t Au from 45m
- SWKRC038: 33m @ 1.3 g/t Au from 31m
 - Including 4m @ 4.2 g/t Au from 50m

Figure 3-5 show cross-sections with new drilling and significant intercepts through the Southwark deposit. The location of new drillholes discussed in this release is given in plan view in Figure 6. These sections are located successively north of drilling results announced on the 1st May³. As a whole these plus the previous sections clearly show the widening of mineralisation with increasing depth. This broadening is not isolated but is a deposit-wide feature. Additional drilling will be planned for later in the year to explore potential beneath the known mineralisation.




Figure 3. Cross-sections A-A' and B-B' for the new RC drilling at Southwark, Bottle Creek. The location of sections is shown in the plan map in Figure 6. Alt's new drilling results from this announcement are labelled in orange, whilst historical intercepts from previous explorers are labelled in yellow (See open file report a28505).

ASX Announcement

Alt Resources Limited

ACN 168 928 416

³ See ARS announcement, 1st May 2018: https://www.altresources.com.au/wp-content/uploads/2018/05/High Grade Gold at___Southwark 1May18.pdf






Figure 4. Cross-sections C-C' and D-D' for the new RC drilling at Southwark, Bottle Creek. The location of sections is shown in the plan map in Figure 6. Alt's new drilling results from this announcement are labelled in orange, whilst historical intercepts from previous explorers are labelled in yellow (See open file report a28505).




Figure 5. Cross-sections E-E' and F-F' for the new RC drilling at Southwark, Bottle Creek. The location of sections is shown in the plan map in Figure 6.






Figure 6. Plan map of new drilling at the Southwark Deposit, Bottle Creek, with sections labelled as shown in this announcement (Figure 3-5).

Regional Setting and Exploration History

The Bottle Creek gold mine lies 100 km north east of Menzies in the Mt Ida gold belt (Figure 7). The gold mine is located on the northern extremity of the Mt Ida-Ularring greenstone belt extending from Davyhurst to Mt Alexander (Figure 7). The Ularring greenstone belt forms the western part of the Norseman-Wiluna Province of the Yilgarn Craton. The location of mineralisation and local geology, is shown in Figure 8.

During historical operation from 1988-1989, 90,000 oz Au was produced from two open pits (Boags and VB; Figure 9). Significant historical drilling along a 9.8 km strike outlined the Emu, Southwark and XXXX deposits. However these were never mined. The historical RC drill fences were spaced at 100m, with infill drill line



spacing at 50m and 25m at various locations. The majority of drilling targeted oxide mineralisation and reached no deeper than 80m vertically below surface.

Alt's new drilling results continue to provide confirmation of historical intercepts, improve confidence in historical data, proves the continuity and grade of mineralisation in key parts of the Emu deposit. Further, gold mineralisation appears to continue at depth, with several drillholes ending in mineralisation. Additional drillholes are being planned at Emu and other areas of the Bottle Creek Project to test the continuity of gold mineralisation at depth. RC drilling for resource definition is ongoing.




Figure 7. Location of the Bottle Creek Gold Mine, 100 km NE of Menzies. Bottle Creek lies on the boundary between the Youanmi Terrane and the Eastern Goldfields Superterrane, within the Mt Ida-Ularring greenstone belt.






Figure 8. Geological setting of the Bottle Creek project. Modified from Legge et al. (1990).




Figure 9. Site layout at Bottle Creek, showing historical VB and Boags open pits as well as the location of unmined mineralisation at Emu, Southwark and XXXX.

Contact:

James Anderson

Chief Executive Officer
James.anderson@altresources.com.au

About Alt Resources

Peter Taylor

Investor Relations
Peter@nwrcommunications.com.au
0412 036 231

Alt Resources is an Australian based mineral exploration company that aims to become a gold producer by exploiting historical and new gold prospects across quality assets and to build value for shareholders. The Company's portfolio of assets includes the newly acquired Bottle Creek gold mine located in the Mt Ida gold belt, the Paupong IRG Au-Cu-Ag mineral system in the Lachlan Orogen NSW, Myalla polymetallic Au-Cu-Zn project east of Dalgety in NSW and the Mt Roberts gold project located near the town of Leinster in WA.

Alt Resources, having acquired historical and under-explored tenements in the Mt Ida Gold Belt, aims to consolidate the historical resources, mines and new gold targets identified within the region. Potential at Mt Ida exists for a centralised production facility to service multiple mines and to grow the Mt Ida Gold Belt project to be a sustainable and profitable mining operation.



References

Legge P.J., Mill J. H. A., Ringrose C. R & McDonald I. R. (1990). Bottle Creek gold deposit. In: Geology of the Mineral Deposits of Australia and Papua New Guinea. F.E Hughes (ed). The Australasian Institute of Mining and Metallurgy, Melbourne pp 357-361.

Competent Persons Statement

The information in this report that relates to mineral exploration and exploration potential is based on work compiled under the supervision of Dr Helen Degeling, a Competent Person and member of the AusIMM. Dr Degeling is an employee of Alt Resources and has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity that she is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Dr Degeling consents to the inclusion in this report of the information in the form and context in which it appears.

No Representation, Warranty or Liability

Whilst it is provided in good faith, no representation or warranty is made by Alt or any of its advisers, agents or employees as to the accuracy, completeness, currency or reasonableness of the information in this announcement or provided in connection with it, including the accuracy or attainability of any Forward Looking Statements set out in this announcement. Alt does not accept any responsibility to inform you of any matter arising or coming to Alts' notice after the date of this announcement which may affect any matter referred to in this announcement. Any liability of Alt, its advisers, agents and employees to you or to any other person or entity arising out of this announcement including pursuant to common law, the Corporations Act 2001 and the Trade Practices Act 1974 or any other applicable law is, to the maximum extent permitted by law, expressly disclaimed and excluded.



Table 1. Drillhole collar table with significant gold (Au) intercepts for new drilling by Alt Resources at the Bottle Creek project, described in this announcement, as well as historical holes SWKR32-39 and SWKR44-49, drilled by Norgold in 1986-1990.

Hole ID	m from	m to	Interval (m)	Au (g/t)	Hole Type	Prospect	Easting*	Northing	RL	Azi	Dip	Total Depth
SWKRC019	2	9	7	1.47	RC	Southwark	251,456	6,772,975	490	072	-60°	54
and	12	13	1	0.58			,					
and	25	26	1	0.94								
and	34	35	1	0.52								
and	37	38	1	0.98								
and	46	48	2	1.79								
SWKRC020	2	7	5	1.65	RC	Southwark	251,444	6,772,971	490	072	-60°	54
and	26	28	2	0.84	110	Southwark	231,111	0,7,2,3,1	130	0,2		
and	46	47	1	2.55								
SWKRC021	3	8	5	1.39	RC	Southwark	251,456	6,772,868	490	072	-60°	72
and	35	69	34	3.39	i.c	Southwark	231,430	0,772,000	730	072		, _
including	35	38	3	7.16								
and including	46	48	2	13.09								
	54	56	2	16.00								
and including					D.C	Couthwark	251 421	6 772 062	400	072	co°	ดา
SWKRC022	4	8	4	1.18	RC	Southwark	251,421	6,772,962	490	072	-60°	82
and	40	41	1	4.05								
and	49	70	21	10.82								
including	61	65	4	48.97								
and	79	82 (EOH)	3	0.61			0=4.400				500	
SWKRC023	4	7	3	1.01	RC	Southwark	251,409	6,772,957	490	071	-60°	100
and	77	100 (EOH)	23	3.23								
including	79	83	4	7.07								
SWKRC024	5	6	1	1.10	RC	Southwark	251,436	6,772,994	490	072	-59°	48
and	22	23	1	2.48								
and	33	40	7	1.98								
SWKRC025	4	8	4	1.82	RC	Southwark	251,424	6,772,989	490	072	-61°	60
and	29	41	12	0.52								
and	46	47	1	1.85								
SWKRC026	4	7	3	0.91	RC	Southwark	251,412	6,772,985	490	072	-60°	71
and	47	59	12	1.43								
and	67	68	1	0.50								
and	69	70	1	0.69								
SWKRC027	4	6	2	0.59	RC	Southwark	251,401	6,772,980	490	071	-59°	96
and	73	89	16	6.36								
including	75	82	7	10.86								
and	94	95	1	0.71								
SWKRC028	2	5	3	1.63	RC	Southwark	251.426	6,773,017	490	072	-60°	54
and	19	20	1	1.76			. =, .=0	.,,				
and	26	27	1	0.77								
and	35	37	2	0.92								
and	41	54 (EOH)	13	2.77								
SWKRC029	4	5	1	1.06	RC	Southwark	251,415	6,773,013	490	074	-59°	66
and	24	43	19	1.53	I.C	Journwalk	۷۵۱٬۴۱۵	0,773,013	+30	0/4	33	00
and	48	52	4	0.68								
	48	6			D.C	Couthwork	251 402	6 772 000	400	074	-60°	e a
SWKRC030			2	1.13	RC	Southwark	231,403	6,773,009	490	074	-60	82
and	20	21	1	0.73								
and	43	44	1	0.71								
and	52	60	8	3.05								
and	68	73	5	2.72								
SWKRC031	4	6	2	1.15	RC	Southwark	251,418	6,773,040	490	070	-60°	66
and	23	59	36	1.79								
including	55	59	4	6.99								
SWKRC032	36	61	25	1.67	RC	Southwark	251,406	6,773,036	490	072	-59°	82
and	67	82 (EOH)	15	1.83								
including	76	79	3	5.96								



Hole ID	m	m to	Interval	Au (g/t)	Hole	Prospect	Easting*	Northing	RL	Azi	Dip	Total
	from		(m)		Type							Depth
SWKRC033	4	5	1	0.79	RC	Southwark	251,395	6,773,031	490	072	-60°	78
and	41	43	2	0.56								
and	56	57	1	0.84								
SWKRC034	59	61	2	0.67	RC	Southwark	251,383	6,773,027	490	074	-59°	87
and	65	69	4	0.60								
and	80	81	1	0.54								
SWKRC035	4	5	1	0.66	RC	Southwark	251,409	6,773,064	490	072	-60°	78
and	32	38	6	1.65								
and	52	56	4	1.38								
and	61	68	7	2.65								
SWKRC036	43	51	8	1.48	RC	Southwark	251,398	6,773,059	490	072	-60°	72
and	55	57	2	1.00								
SWKRC037	3	5	2	0.61	RC	Southwark	251,386	6,773,055	490	073	-59°	80
and	45	58	13	1.01								
SWKRC038	31	64	33	1.26	RC	Southwark	251,401	6,773,087	490	072	-60°	66
including	50	54	4	4.16								
SWKRC039	43	57	14	0.99	RC	Southwark	251,389	6,773,083	490	075	-58°	70
SWKRC040	64	65	1	0.67	RC	Southwark	251,377	6,773,079	490	072	-58°	80
SWKRC041	66	68	2	0.79	RC	Southwark	251,365	6,773,074	490	070	-59°	90
and	74	76	2	1.22								
SWKR32 [†]	4	8	4	1.11	RC	Southwark	251,389	6,772,973	490	0	-90°	10
SWKR33 [†]	4	6	2	1.70	RC	Southwark	251,398	6,772,976	490	0	-90°	10
SWKR34 [†]	2	4	2	0.59	RC	Southwark	251,408	6,772,980	490	0	-90°	10
SWKR35 [†]	2	8	6	0.96	RC	Southwark	251,417	6,772,983	490	0	-90°	10
SWKR36 [†]	2	8	6	0.95	RC	Southwark	251,427	6,772,987	490	0	-90°	10
SWKR37 [†]	8	2	10 (EOH)	1.06	RC	Southwark	251,436	6,772,990	490	0	-90°	10
SWKR38 [†]	2	6	4	1.07	RC	Southwark	251,446	6,772,994	490	0	-90°	10
SWKR39 [†]	2	4	2	0.74	RC	Southwark	251,455	6,772,997	490	0	-90°	10
SWKR44 [†]	2	6	4	1.46	RC	Southwark	251,409	6,773,007	490	0	-90°	10
SWKR45 [†]	2	6	4	1.02	RC	Southwark	251,418	6,773,010	490	0	-90°	10
SWKR46 [†]	2	4	2	1.63	RC	Southwark	251,428	6,773,014	490	0	-90°	10
SWKR47 [†]	2	6	4	1.37	RC	Southwark	251,437	6,773,017	490	0	-90°	10
SWKR48	2	6	4	0.92	RC	Southwark	251,447	6,773,021	490	0	-90°	10
SWKR49	2	6	4	0.85	RC	Southwark	251,456	6,773,024	490	0	-90°	10
		CDAOA zono						· · · · · · · · · · · · · · · · · · ·				

^{*}All coordinates in GDA94, zone 51 †Drilled by Norgold Ltd (open file report a28505)



JORC Code, 2012 Edition – Table 1 report

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	 Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	 Reverse Circulation (RC) drill chips (SWKRC019-041) were collected directly from a cone splitter on the drilling rig and automatically fed into prenumbered calico bags. All sample intervals are 1m, and the sample weight can range from 0.2 -4.8kg, with the average sample weight being 1.8kg. The splitter and cyclone is levelled at the beginning of every hole and cleaned at regular intervals (minimum of 2 rods or 12m). The cyclone is exhaustively cleaned prior to entering and leaving predicted mineralised zones, and more frequently cleaned within these zones. Observations of sample size and quality are made whilst logging. 38 duplicates, 57 blanks and 113 certified reference materials were inserted into the sample series at set intervals in sample submissions of 200 samples. A total of 1895 assays is included in this release, including QAQC. No umpire assays have been undertaken to date. Mineralisation is not visible beneath the base of complete oxidation, however its presence can be inferred from quartz veins and ferruginous alteration. Historical drilling completed by Norgold which brackets the current drilling (approximately 25m either side) also provides a good reference for locating the mineralised zone. Mineralisation (Au) is determined qualitatively using a 30 g fire assay, and atomic absorption spectroscopy technique with reportable ranges between 0.01 and 100 ppm
Drilling techniques	 Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	 RC drilling techniques (SWKRC019-041) have been completed using a standard aircore bit, and a face sampling hammer. The drill rig used is a Schramm T450 utilising 89mm rods and 121mm bit (RC) using an onboard compressor rated at 450psi and 1240 cfm.
Drill sample recovery	 Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure 	 A qualitative assessment of sample quality, and moisture content is made whilst drilling. The collected sample is then weighed at the laboratory. Certain zones in the drilling section are prone to poor recoveries, however



representative nature of the samples.

 Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. experience gathered to date and technical adjustments are maximising recoveries in these areas. Given the results received to date, these samples are judged to be representative.

 Results received to date show no sample bias, nor a relationship between grade and recovery. Average sample sizes are smaller in the mineralised zones, for samples above the 0.5g/t cut off average weight is 1.5kg, compared to 1.8kg average for all samples.

Logging

- Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.
- Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.
- The total length and percentage of the relevant intersections logged.
- All holes have been geologically logged on geological intervals with recording of lithology, grain size, alteration, mineralisation, veining, structure, oxidation state, colour and geotechnical data noted and stored in the database. All holes were logged to a level of detail sufficient to support future mineral resource estimation, scoping studies, and metallurgical investigations.
- Veins and mineralisation are logged quantitively as percentage, all other variables are logged qualitatively. All holes have had the chip trays photographed, and these photos stored in a database.
- All holes have been logged over their entire length (100%) including any mineralised intersections.

Sub-sampling techniques and sample preparation

- If core, whether cut or sawn and whether quarter, half or all core taken.
- If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.
- For all sample types, the nature, quality and appropriateness of the sample preparation technique.
- Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.
- Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.
- Whether sample sizes are appropriate to the grain size of the material being sampled.

- RC chips were split in a cone splitter on the rig. Where possible most samples are sampled dry. SWKRC022, SWKRC027, SWKRC034, SWKRC035 and SWKRC036 experienced a small proportion of moist or wet samples (<10% in each hole). SWKRC023 contained a 21m zone of moist to wet samples, from 75 to 96m, which incorporates the main mineralised zone. Recoveries were small through this zone.
- The sample preparation technique is judged appropriate for the sample type and mineralisation style being tested.
- The cyclone and cone splitter is regularly cleaned to prevent contamination.
- Field duplicates are taken and to date show excellent correlation and repeatability, suggesting the samples are representative of in situ material.
 Further work such as twinning holes with diamond drilling is expected to be completed to further confirm this.
- The sample size is judged appropriate for the grain size of the material being sampled, and the repeatability of the field duplicates further supports this.



Quality of assav data and laboratory tests

- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.
- For geophysical tools, spectrometers, handheld XRF instruments, etc. the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.Ba, Mo
- Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.
- Assays are completed by ALS Kalgoorlie where the delivered sample is pulverised to -75μm, and then a 30g subsample analysed by AAS fire assay technique. Analyses were for Au only with a detection limit of 0.01 ppm.
- Samples are collected whilst drilling with 200 samples collected per submission and then transported by Alt personnel directly to the laboratory.
- 38 duplicates, 57 blanks and 113 certified reference materials were inserted into sample series at set intervals in sample submission sizes of 200. A total of 1895 assays is included in this release, including QAQC. No umpire assays have been undertaken to date. To date an acceptable level of precision and accuracy have been observed.

Verification of sampling and assaying

- The verification of significant intersections by either independent or alternative company personnel.
- The use of twinned holes.
- Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.
- · Discuss any adjustment to assay data.

- Significant intersections have been verified by 2 Alt Resources geologists. Further verification can be inferred from historical results in adjacent holes.
- No holes have been twinned to date.
- All geological, sampling, and spatial data that is generated and captured in the field is immediately entered into a field notebook on standard Excel templates. These templates are then validated each night in Micromine. This information is then sent to a database manager for further validation. If corrections need to be made they are corrected the following day by the person responsible for generating the data. Once complete and validated the data is then compiled in database server.
- No adjustment of assay data is required

points

- Location of data Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.
 - Specification of the grid system used.
 - Quality and adequacy of topographic control.

- Hole locations are surveyed prior to drilling using a Leica RTK GPS and GOLA standard survey marks, once the hole is completed it is resurveyed using the same techniques to mark the actual collar location. The expected accuracy is 0.15m in three dimensions.
- The drill rig is orientated via compass and clinometre at surface and once drilling is complete downhole surveyed with an Axis Mining north seeking gyroscope at 12m (base of laterite), and then at 30m intervals, and again at the end of hole.
- The grid system used is MGA94 Zone 51
- The topographic control is judged as adequate and of high quality.

Data spacing and distribution •

- Data spacing for reporting of Exploration Results.
- Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral
- Alt Resources drilling is spaced at approximately 25m, along 50m lines, which infill the historical drilling to an approximately 25 x 25m pattern.
- Data spacing within mineralised zones is judge as adequate to establish and

	Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied.	support a Mineral Resource in the future. No sampling compositing has been applied.
Orientation of data in relation to geological structure	 Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	 The true widths of intercepts are expected to be 65-75% less than the reported widths depending on both the orientation (dip) of both the mineralised zone, and drill hole. Holes are drilled near perpendicular to strike and no significant bias is expected due to azimuth. The interpreted mineralised zone trends approximately towards 340 degrees, and dips steeply (>70°) to the west. Drilling inclined holes at -60 degrees will introduce a slight bias to true widths but not to sample assay results.
Sample security	The measures taken to ensure sample security.	 Alt Resources keeps all samples within its custody, and within its lease boundaries until delivery to the laboratory for assay. Samples are typically collected while drilling to minimise possible contamination, and ensure unbroken sample chain of custody.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	 No external reviews of the sampling techniques have yet been undertaken. Internal reviews and audits are ongoing with each sample submission being analysed and reported on to ensure issues are quickly noted and rectified.



Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	 Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	 The information in this release relates to the Bottle Creek Project, on mining leases M29/150 and M29/151, which is the subject of a purchase agreement between Alt Resources and a private vendor. The details of this purchase arrangement are outlined in the announcement made to the market on the 8th November, 2017 (https://www.altresources.com.au/wpcontent/uploads/2017/11/ARS-ASX-Announcement-Bottle-Creek-acquisition-8Nov17.pdf) There are no existing impediments to M29/150 or M29/151.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	 The Bottle Creek Gold Project has seen little or no exploration prior to 1983. Modern gold exploration over the project has been conducted by Electrolytic Zinc (EZ) and Norgold, as described below.
		Activity Year Company Result conducted
		Stream Sediment 1983-1987 Electrolytic Zinc Defined 15km long Au-As-Sb anomaly associated with Bottle Creek mineralisation
		Ironstone sampling Definition of linear Au, As, Sb, B and Pb anomalies
		Laterite sampling Definition of 20km long As-Pb anomaly
		Aerial photography
		Aerial magnetic Positive magnetic anomaly associated with mineralised zone, from magnetite alteration.



The highest magnetic anomalies overlie mineralised shoots

Costeaning

Significant gold intersections defined in areas of poor outcrop, but poor penetration due to hard sub-surface layers

RAB drilling

Defined major mineralised zone (Bottle Creek, including Emu, VB and XXXX) beneath lateritic cover

RC drilling

Definition of oxide gold resources at VB, Boags, Emu

DD drilling

Testing sulphide gold mineralisation beneath Emu and

VΒ

Magnetometric resistivity (MMR) and Very Low Frequency electromagnetic (VLF-E) surveys Neither technique defined the mineralised zone

Geological mapping 1986-1989 Norgold

Project-scale mapping at 1:25,000 scale, defined new prospective zone SE

of Boags

RAB drilling

Exploration drilling of extensions to known

mineralisation, defined parallel zone east of VB and south

of Anchor.



		RC and DD drilling	Reserve drilling at VB, Boags and Emu Resource drilling at Anchor, XXXX, Southwark and surface laterite Sterilisation drilling for airstrip
		Soil Sampling	Extensions to areas of previous sampling, analysed for Au, Ag, As, Sb
		Airborne multi- spectral survey	Defined high density fracture patterns associated with mineralisation
		Mining	Mining at VB and Boags, 1988-1989. Production at Boags: 382,000t @ 1/75 g/t Au (21.6koz Au)
			730,000t @ 3.1 g/t Au (72koz Au)
Geology	Deposit type, geological setting and style of mineralisation.	 The Bottle Creek gold project lies on the Wiluna Province in WA, within the Ulaproject, the area is characterized by be with mafic volcanics. In the central and dominantly mafic-ultramafic volcanic volcaniclastic sediments are interbedded central and eastern zone has been interbedded to the Near Bottle Creek, the greenstone be anticline with a granite core The project is defined by epigenetic, he gold+silver mineralisation. Mineralisal sheared, carbonaceous black shale uncontact with the interbedded mafic volcanics. 	arring greenstone belt. West of the anded iron formations interbedded deastern parts of the project, a and intrusive suite occurs. Minor ded with the greenstones. The entire ruded by felsic quartz porphyries. It is folded into a tight, south-plunging hydrothermal, shear-hosted tion is hosted within a steeply dipping, bit (the Emu Formation), close to the



Sulphide mineralisation is characterised by pyrite, pyrrhotite and magnetite, with minor tetrahedrite, sphalerite, arsenopyrite and chalcopyrite. Native gold and electrum are also present as fine, <45μm grains.

- A strong regolith profile is developed in the mineralised zone, to a depth of approximately 85m in some areas.
- 5 mineralised zones have been defined by historical exploration, including from south to north, Boags, VB, Emu, Southwark and XXXX.

Drill hole Information

- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:
 - o easting and northing of the drill hole collar
 - elevation or RL (Reduced Level elevation above sea level in metres) of the drill hole collar
 - o dip and azimuth of the hole
 - o down hole length and interception depth
 - hole length.
- If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.

- See Table 1 and Figures 3-6 above for drillhole information pertaining to significant intercepts presented here.
- No significant information has been excluded for drilling results reported in this document.

Data aggregation methods

- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.
- Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.
- The assumptions used for any reporting of metal equivalent values should be clearly stated.

- Reported drill intercepts are averaged intercepts from 1m samples.
- No cutting of high grade values has been undertaken.
- Significant intercepts (see Table 1 in the body of this release) are reported using a low-grade cut-off of 0.5 g/t Au and no more than 2m internal waste.

Relationship between mineralisation widths and intercept lengths •

- These relationships are particularly important in the reporting of Exploration Results.
- If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.
- If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').
- Based on extensive drilling throughout the Emu and Southwark deposits, mineralisation is interpreted to be striking north 20° west, and with a dip close to vertical, or dipping steeply west, as portrayed in Figures 3-5 in the text. Drilling was oriented perpendicular to this trend. Holes have been drilled at a 60 degree angle to approximate (as close as practicably possible) a true width intercept through the steeply dipping mineralised zone.
- Reported intercepts are downhole lengths; the true width is estimated to



Diagrams

 Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.

- be approximately 65-75% of the downhole width, based on interpretations drilling.
- The location of new drillholes at Southwark with significant intercepts described in the text is shown in Figure 6, with cross-sections and interpreted geology in Figures 3-5. Coordinates in GDA94, zone 51.
- The layout of the Bottle Creek site is shown in Figure 9.
- Table 1 gives the details of significant intercepts discussed in this release, including drillhole collar information.

Balanced reporting

 Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. All drillhole locations are reported and a table of significant intervals is provided in the text of this release, and are judged to be a balanced report of exploration results.

Other substantive exploration data

Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.

Metallurgical Testing

 Metallurgical testwork was carried using selected composited RC intervals by EZ, as below:

Hole ID	Interval	Sample Number
EMU-32	54-58m	110721
EMU-12	24-28m	119717
EMU-31	90-99m	110720
EMU-38	33-60m	110722
EMU-14	69-90m	110718
EMU-17	34-44m	110719

- The six composite samples were submitted to Eltin Pty Ltd in Kalgoorlie for preliminary metallurgical. Cyanidation tests were carried out by Kalgoorlie Metallurgical Laboratories.
- Testwork used the following parameters:
- Nominal grind to 80% 75 microns
- 24 hour cyanidation test
- pH of 9.5
- splitting of cyanide residue into +75 micron and -75 micron fractions for liberation tests
- production of rate curves for the test to establish recovery times
- assessment of reagent usage for the test



- Kalgoorlie Scheme water was used for the test
- The following results were determined:
- The samples are free milling
- For a head grade greater than 4 g/t Au, recoveries of the order of >90% can be expected at a grind of approximately 80% passing 75 microns
- Greater recoveries can be expected in a full size plant
- By cyaniding in the mill, the rate of gold dissolution can be significantly increased compared to the laboratory curves
- There is evidence of some soluble copper which will affect cyanide consumption
- Samples 110718, 110721 and 110722 require further work due to high cyanide resistant residues.

Specific Gravity

- Specific gravity analyses were performed by EZ using selected samples of PQ core
- Volume calculations were made with calipers and a complex programmable calculator programme to take in account uneven breaks
- The sections of core were weighed on a series of kitchen scales. The scales were recalibrated after every weighing using pieces of lead cut to size and weighed on a microbalance. The recalibration was undertaken over a range of weights each time.
- The quality of the core was noted for each block weighed. The complete mineralised zone was weighed along with representative sections of the wall rock.
- Principal results of the SG calculations are:

Mineralised Zone:

Surface ironstone 2.7-3.2
Ironstone >2.1
Massive quartz 1.75-1.85
Sugary quartz 1.60-1.65

Wall rocks:

Laterite (clay) 1.9-2.0



Porphyry 2.2-2.3

Further work

- The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).
- Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.
- Resource estimation based on Alt's newly completed RC drilling is
 underway for the Bottle Creek project and. The resource drilling program
 aimed to confirm historical drilling and provide enough confidence in the
 historical data to develop a resource able to be reported according to the
 JORC 2012 code for the remaining in-ground mineralisation at Bottle Creek.
 The focus for this exercise will primarily be the un-mined Emu deposit, as

well as the un-mined Southwark deposit, immediately north of the Boags and VB pits. Further drilling beneath the VB and Boags pits will occur on

• Open File report by Electrolytic Zinc (a18217) notes that there is a

vertical density stratification within the ore zone.

completion of drilling at Emu and Southwark.