

22 January 2016

285m MINERALISED GOLD ZONE INTERSECTED FROM SURFACE

HIGHLIGHTS

- 285m mineralised gold zone intersected from surface includes:
 - 7m @ 3.06 g/t from surface
 - 18m @ 1.64 g/t from 19m vertical depth
 - 10.7m @ 1.19 g/t from 66m vertical depth
 - 58.33m @ 1.07 g/ from 90m vertical depth
 - 30m @ 1.05 g/ from 140m vertical depth
 - 17m @ 0.99 g/t from 168m vertical depth

Cardinal Resources Limited (ASX: CDV) (“**Cardinal**” or “**the Company**”) announces the results of two deep diamond drill holes, NMRD443-746 (“F” on Figure 2) and NMDD502-768 (“I” on Figure 2) and 5 shallow pre-collar RC drill holes (North of “I” on Figure 2), completed on the Namdini Project (“**Namdini**”) (Figures 1 and 2).

Commenting on today’s results, Managing Director Archie Koimtsidis said:

“Drill hole NMRD443-746 (“F” on Figure 2) intersected a 285m mineralised zone from surface confirming that wide gold mineralisation continues to be discovered at depth within the hydrothermally altered volcaniclastics and monzonite granitoids.

“These new results clearly demonstrate the significant depth potential of the wide gold mineralisation previously reported at the Namdini Project”.

Cardinal expects the assay results from drill hole NMDD422-736 (“E” on Figure 2) to be reported within 2 weeks.




Figure 1: Namdini Project Proximity Map

Cardinal Resources Limited ABN 56 147 325 620

www.cardinalresources.com.au

Ghana: Durugu Residential Area, Kumbosco, Bolgatanga, Ghana P: +233 (0) 261905220 SKYPE: cardinal.archie

Australia: Level 1, 115 Cambridge Street, West Leederville, Perth, 6007 P: +61 (8) 9322 6600 F: +61 (8) 9322 6610




Figure 2: Plan View of Namdini Project




Figure 3: Diamond Drill Hole NMRD443-746 ("F" on Figure 2)

Diamond Drill Hole NMRD443-746 has altered volcaniclastics which are medium to fine grained with characteristic light to medium green colours. The monzonite granitoids are medium to coarse grained with very pale green colours and some pink to reddish zones. Both lithologies contain finely disseminated pyrite and arsenopyrite sulphides (Figure 4).




Figure 4: Hydrothermally altered volcaniclastics and granitoids (bottom row).




Figure 5: Diamond Drill Hole NMDD502-768 ("I" on Figure 2)

Diamond Drill Hole NMDD502-768 has altered volcaniclastics which are medium to fine grained with characteristic light to medium green colours. The monzonite granitoids are medium to coarse grained with very pale green colours and some pink to reddish zones. Both lithologies contain finely disseminated pyrite and arsenopyrite sulphides (Figure 6).




Figure 6: Hydrothermally altered volcaniclastics and granitoids (pink to red)

Diamond Drill Hole Data

Drill hole NMRD443-746 was drilled from surface to 82m by Reverse Circulation (RC) method, The drill rig was aligned at -60° dip drilling east and azimuth was set at 100° (normal to the strike of the formations). The RC portion was surveyed at the bottom of the drill hole (at 82m), with only the dip determined. The azimuth could not be measured due to the metal rods in the drill hole. The drill hole had shallowed to -55° at 82m depth.

HW steel casing was inserted to 82m for stability of the hole and HQ size core was then drilled to 344m. This drill hole was surveyed at a depth of 90m down hole, then every 30m down the remainder of the drill hole to determine the dip and azimuth of the drill hole with depth.

Drill hole NMDD502-768 was cored from surface. The soft near surface material was drilled with a Triple Tube core barrel to reduce core losses. Once harder rock was encountered, then HW steel casing was inserted for stability of the hole and HQ size core was then drilled to 339m.

The drill rig was aligned at -65° dip drilling east which allows for the shallowing of the drill hole with depth. The azimuth was set at 095° instead of 100° (normal to the strike of the formations) as the borehole trace usually deflects to the right with depth due to the clockwise rotation of the drill rods.

This drill hole was surveyed near the top of the drill hole, then every 30m down the hole to determine the dip and azimuth of the drill hole with depth.

The core of both diamond drill holes was orientated at each drill run using a digital instrument. The core was marked showing the base of the drill hole, then the core from each drill run was laid in a length of angle iron to fit the core together so that the orientation line could be drawn along the length of the core. Geotechnical parameters were measured using this orientation line as the datum line.

The core was photographed both wet and dry, then cut in half; one half was consistently sampled, with the remaining half stored in core trays and placed on racks under cover in Cardinal's secure core shed located at Bolgatanga, Ghana. The half core samples were sent to the SGS Laboratory in Burkina Faso for fire assay.

RC Drill Hole Data

Five RC drill holes were drilled approximately 150 to 250m north of diamond drill hole NMDD502-768 ("I" on Figure 2) as pre-collars for possible deeper diamond drilling (Figure 2). Lithologies intersected were metasediments and mafic diorites. Results were as follows:

Hole ID	Easting UTM	Northing UTM	Dip (°)	Azim (°)	RL (m)	Length (m)	From (m)	To (m)	Vertical (m)	Width (m)	Gold (g/t)
NMRC525-813	757735	1177545	-45	100	191	96	71	80	50	9	25.27
NMRC526-798	757660	1177550	-45	100	192	84		No	Significant	Results	
NMRC527-788	757610	1177555	-45	100	192	126		No	Significant	Results	
NMRC546-815	757745	1177650	-45	100	189	116		No	Significant	Results	
NMRC549-790	757620	1177665	-45	100	191	102		No	Significant	Results	

Table 1: Namdini RC Drill Results

Planned Diamond Drilling Program

A further four diamond drill holes are planned marked A to D, with E currently being drilled (Figure 2), all located to the west of the NNE trending gold mineralised corridor. All of them are planned to drill across this mineralised corridor to confirm the continuation of gold mineralisation along strike and at deeper levels.

Namdini Geology

The Namdini Project is located within a Paleo-Proterozoic Greenstone Belt comprising Birimian metavolcanics, volcanoclastics and metasediments located in close proximity to a major 30 km ~N-S regional shear zone with splays (Figure 1). These rock units are intruded by felsic monzonite granitoids and quartz diorites.

The gold mineralisation is developed within foliated, sheared and hydrothermally altered volcanoclastic rocks containing disseminated pyrite and arsenopyrite sulphides. The lithologies dip approximately 60° W and strike 010° and are pale to medium green where altered. Hydrothermal alteration of the volcanoclastics is comprised of silica, iron carbonate (ankerite), sericite, epidote and chlorite.

The monzonite granitoids are medium to coarse grained with quartz vein stockworks and are usually altered to pale green epidote with patches of pink to reddish albite (alkali feldspar). Sulphides of pyrite and arsenopyrite are contained within these granitoids.

The monzonite granitoid intrusive is considered to have been the “heat engine” which remobilised gold bearing sulphide rich fluids which altered the host rocks and precipitated the gold mineralisation within them.

The NNE-SSW trending corridor containing the gold mineralisation is bounded on both east and west sides by foliated metasediments of varying compositions, also dipping 60°W and striking 010°.

The unaltered quartz diorites contain primary pyrite sulphides and are mostly unmineralised.

Monitoring Of Drilling Programs

Cardinal’s technical and management team evaluates all of the available data on a daily basis with the main focus being the expansion of the gold potential of the Namdini Project.

Cardinal is the owner and operator of its own combination drill rig and has established an express assaying service with SGS Laboratory in Burkina Faso for drilling results. This enables the Company to continuously improve its drill plan strategy as new information becomes available.

For further information contact:

Archie Koimtsidis
Managing Director
Cardinal Resources Limited
P: +233 (0)26 190 5220
Skype: cardinal.archie

APPENDIX 1
NMDD443-746 ASSAY RESULTS

Frm (m)	To (m)	Wdth (m)	Au g/t	Wt Av g/t	Intersection (0.0 g/t cut off)	Intersection (0.5 g/t cut off)	Description
0.00	1.00	1.00	8.13	8.13	)	)	Transported soil
1.00	2.00	1.00	1.70	1.70	)	)	
2.00	3.00	1.00	2.86	2.86	)	)	
3.00	4.00	1.00	4.39	4.39	)	) 7m @ 3.06	
4.00	5.00	1.00	1.15	1.15	)	)	
5.00	6.00	1.00	1.53	1.53	)	)	Saprolite
6.00	7.00	1.00	1.66	1.66	)	)	
7.00	8.00	1.00	0.02	0.02	) 285m @ 0.83		
8.00	9.00	1.00	0.04	0.04	)		
9.00	10.00	1.00	0.16	0.16	)		
10.00	11.00	1.00	0.28	0.28	)		
11.00	12.00	1.00	0.02	0.02	)		
12.00	13.00	1.00	0.33	0.33	)		
13.00	14.00	1.00	0.02	0.02	)		
14.00	15.00	1.00	0.22	0.22	)		
15.00	16.00	1.00	<0.01	<0.01	)		
16.00	17.00	1.00	0.02	0.02	)		Volcaniclastic + pyrite traces
17.00	18.00	1.00	0.02	0.02	)		
18.00	19.00	1.00	0.05	0.05	)		
19.00	20.00	1.00	0.02	0.02	)		
20.00	21.00	1.00	0.09	0.09	)		
21.00	22.00	1.00	0.09	0.09	)		
22.00	23.00	1.00	0.71	0.71	)	)	
23.00	24.00	1.00	0.41	0.41	)	)	
24.00	25.00	1.00	0.45	0.45	)	)	Altered volcanclastic + pyrite
25.00	26.00	1.00	0.26	0.26	)	)	
26.00	27.00	1.00	7.36	7.36	)	)	
27.00	28.00	1.00	1.63	1.63	)	)	
28.00	29.00	1.00	0.13	0.13	)	)	
29.00	30.00	1.00	8.18	8.18	)	) 18m @ 1.64	
30.00	31.00	1.00	0.79	0.79	)	)	
31.00	32.00	1.00	0.10	0.10	)	)	
32.00	33.00	1.00	0.54	0.54	)	)	
33.00	34.00	1.00	1.37	1.37	)	)	
34.00	35.00	1.00	1.68	1.68	)	)	Volcaniclastic + pyrite traces
35.00	36.00	1.00	2.24	2.24	)	)	
36.00	37.00	1.00	1.83	1.83	)	)	
37.00	38.00	1.00	0.53	0.53	)	)	
38.00	39.00	1.00	0.64	0.64	)	)	
39.00	40.00	1.00	0.74	0.74	)	)	
40.00	41.00	1.00	0.16	0.16	)	)	
41.00	42.00	1.00	0.14	0.14	)	)	
42.00	43.00	1.00	0.16	0.16	)	)	
43.00	44.00	1.00	0.10	0.10	)	)	
44.00	45.00	1.00	1.16	1.16	)	)	
45.00	46.00	1.00	5.55	5.55	)	)	

Cardinal Resources Limited ABN 56 147 325 620

www.cardinalresources.com.au

Ghana: Durugu Residential Area, Kumbosco, Bolgatanga, Ghana P: +233 (0) 261905220 SKYPE: cardinal.archie

Australia: Level 1, 115 Cambridge Street, West Leederville, Perth, 6007 P: +61 (8) 9322 6600 F: +61 (8) 9322 6610

46.00	47.00	1.00	6.49	6.49	)285m @ 0.83	)4m @ 3.63	Altered volcanclastic + pyrite
47.00	48.00	1.00	1.32	1.32	)	)	Altered volcanclastic + pyrite
48.00	49.00	1.00	0.12	0.12	)		
49.00	50.00	1.00	0.09	0.09	)		
50.00	51.00	1.00	0.10	0.10	)		
51.00	52.00	1.00	0.10	0.10	)		
52.00	53.00	1.00	0.06	0.06	)		
53.00	54.00	1.00	0.11	0.11	)		
54.00	55.00	1.00	0.23	0.23	)		
55.00	56.00	1.00	0.38	0.38	)		
56.00	57.00	1.00	0.17	0.17	)		
57.00	58.00	1.00	0.05	0.05	)		
58.00	59.00	1.00	<0.01	<0.01	)		
59.00	60.00	1.00	0.12	0.12	)		
60.00	61.00	1.00	0.11	0.11	)		
61.00	62.00	1.00	1.07	1.07	)	) 1m @ 1.07	
62.00	63.00	1.00	0.09	0.09	)		
63.00	64.00	1.00	0.10	0.10	)		
64.00	65.00	1.00	0.05	0.05	)		Volcaniclastic + pyrite traces
65.00	66.00	1.00	0.02	0.02	)		
66.00	67.00	1.00	0.05	0.05	)		
67.00	68.00	1.00	0.04	0.04	)		
68.00	69.00	1.00	5.30	5.30	)	)	
69.00	70.00	1.00	1.11	1.11	)	) 2m @ 3.21	
70.00	71.00	1.00	0.24	0.24	)		
71.00	72.00	1.00	0.28	0.28	)		
72.00	73.00	1.00	0.07	0.07	)		
73.00	74.00	1.00	0.20	0.20	)		
74.00	75.00	1.00	0.05	0.05	)		
75.00	76.00	1.00	0.37	0.37	)		
76.00	77.00	1.00	2.54	2.54	)	)1m @ 2.54	
77.00	78.00	1.00	0.43	0.43	)		
78.00	79.00	1.00	0.12	0.12	)		
79.00	80.00	1.00	0.43	0.43	)		
80.00	81.00	1.00	0.46	0.46	)		
81.00	82.00	1.00	0.29	0.29	)		End of RC
82.00	83.00	1.00	ns	ns			
83.00	84.00	1.00	0.61	0.61	)		
84.00	85.00	1.00	0.03	0.03	)		
85.00	86.00	1.00	0.30	0.30	)		
86.00	87.00	1.00	0.06	0.06	)		Volcaniclastic + pyrite traces
87.00	87.90	0.90	0.02	0.02	)		
87.90	89.00	1.10	0.08	0.09	)		
89.00	90.00	1.00	0.12	0.12	)		
90.00	90.77	0.77	0.33	0.25	)		
90.77	92.00	1.23	1.63	2.00	)	)	
92.00	93.00	1.00	0.60	0.60	)	)	
93.00	94.00	1.00	2.17	2.17	)	)	
94.00	95.00	1.00	0.22	0.22	)	)	
95.00	96.00	1.00	0.34	0.34	)	)	Altered volcanclastic + pyrite
96.00	97.00	1.00	1.14	1.14	)285m @ 0.83	) 10.7m @ 1.19	
97.00	97.64	0.64	0.48	0.31	)	)	
97.64	98.49	0.85	1.13	0.96	)	)	

98.49	99.00	0.51	2.85	1.45	)	)	
99.00	99.87	0.87	1.84	1.60	)	)	Altered volcanoclastic + pyrite
99.87	101.00	1.13	0.94	1.06	)	)	
101.00	101.47	0.47	2.02	0.95	)	)	
101.47	102.00	0.53	0.37	0.20	)	)	
102.00	103.00	1.00	0.28	0.28	)	)	
103.00	104.00	1.00	0.42	0.42	)	)	
104.00	105.00	1.00	0.26	0.26	)	)	
105.00	106.00	1.00	0.44	0.44	)	)	
106.00	107.00	1.00	0.49	0.49	)	)	
107.00	108.00	1.00	0.43	0.43	)	)	
108.00	109.00	1.00	0.24	0.24	)	)	
109.00	110.00	1.00	0.28	0.28	)	)	
110.00	111.00	1.00	0.49	0.49	)	)	
111.00	112.00	1.00	0.31	0.31	)	)	
112.00	113.00	1.00	0.51	0.51	)	)	
113.00	114.00	1.00	0.69	0.69	)	)	
114.00	115.00	1.00	0.34	0.34	)	)	
115.00	116.00	1.00	0.53	0.53	)	)	
116.00	117.00	1.00	0.44	0.44	)	)	
117.00	118.00	1.00	0.40	0.40	)	)	
118.00	119.00	1.00	0.24	0.24	)	)	
119.00	120.00	1.00	0.22	0.22	)	)	
120.00	121.00	1.00	0.30	0.30	)	)	
121.00	122.10	1.10	0.41	0.45	)	)	
122.10	123.00	0.90	0.55	0.50	)	)	
123.00	124.00	1.00	0.27	0.27	)	)	
124.00	125.00	1.00	0.52	0.52	)	)	
125.00	126.00	1.00	0.53	0.53	)	)	Altered granitoid + pyrite
126.00	127.00	1.00	0.59	0.59	)	)	
127.00	128.00	1.00	0.37	0.37	)	)	
128.00	129.00	1.00	0.41	0.41	)	)	
129.00	130.00	1.00	0.66	0.66	)	)	
130.00	131.00	1.00	0.48	0.48	)	)	
131.00	132.00	1.00	0.73	0.73	)	)	
132.00	133.00	1.00	0.53	0.53	)	)	
133.00	134.00	1.00	0.41	0.41	)	)	
134.00	135.00	1.00	0.89	0.89	)	)	
135.00	136.00	1.00	0.82	0.82	)	)	
136.00	137.00	1.00	0.38	0.38	)	)	
137.00	138.00	1.00	0.45	0.45	)	)	
138.00	139.00	1.00	0.89	0.89	)	)	
139.00	140.00	1.00	0.56	0.56	)	)	
140.00	141.00	1.00	0.63	0.63	)	)	
141.00	142.00	1.00	2.36	2.36	)	)	
142.00	143.00	1.00	0.69	0.69	)	)	
143.00	144.00	1.00	0.50	0.50	)	)	
144.00	145.00	1.00	0.70	0.70	)	)	
145.00	146.00	1.00	1.00	1.00	)285m @ 0.83	) 58.33@ 1.07	
146.00	147.00	1.00	0.51	0.51	)	)	
147.00	148.00	1.00	0.39	0.39	)	)	
148.00	149.00	1.00	0.52	0.52	)	)	
149.00	150.00	1.00	0.56	0.56	)	)	

Cardinal Resources Limited ABN 56 147 325 620

www.cardinalresources.com.au

Ghana: Durugu Residential Area, Kumbosco, Bolgatanga, Ghana P: +233 (0) 261905220 SKYPE: cardinal.archie

Australia: Level 1, 115 Cambridge Street, West Leederville, Perth, 6007 P: +61 (8) 9322 6600 F: +61 (8) 9322 6610

150.00	151.00	1.00	0.33	0.33	)	)	
151.00	152.00	1.00	0.64	0.64	)	)	
152.00	153.00	1.00	0.65	0.65	)	)	
153.00	154.00	1.00	1.07	1.07	)	)	
154.00	155.00	1.00	0.51	0.51	)	)	
155.00	156.00	1.00	0.48	0.48	)	)	
156.00	157.00	1.00	0.54	0.54	)	)	
157.00	158.00	1.00	1.00	1.00	)	)	
158.00	159.00	1.00	0.56	0.56	)	)	
159.00	160.00	1.00	0.57	0.57	)	)	
160.00	161.00	1.00	0.69	0.69	)	)	
161.00	162.00	1.00	0.24	0.24	)	)	Altered granitoid + pyrite
162.00	163.00	1.00	0.22	0.22	)	)	
163.00	164.00	1.00	0.28	0.28	)	)	
164.00	165.00	1.00	1.10	1.10	)	)	
165.00	166.00	1.00	0.53	0.53	)	)	
166.00	167.00	1.00	0.41	0.41	)	)	
167.00	168.00	1.00	0.39	0.39	)	)	
168.00	169.00	1.00	<0.01	<0.01	)	)	
169.00	170.00	1.00	0.52	0.52	)	)	
170.00	171.00	1.00	0.50	0.50	)	)	
171.00	172.00	1.00	0.31	0.31	)	)	
172.00	173.00	1.00	0.46	0.46	)	)	
173.00	174.00	1.00	0.54	0.54	)	)	
174.00	175.00	1.00	0.53	0.53	)	)	
175.00	176.00	1.00	0.83	0.83	)	)	
176.00	177.00	1.00	0.39	0.39	)	)	
177.00	178.00	1.00	0.20	0.20	)	)	
178.00	179.00	1.00	2.42	2.42	)	)	
179.00	180.00	1.00	0.65	0.65	)	)	
180.00	180.43	0.43	62.20	26.75	)	)	
180.43	181.00	0.57	0.20	0.11	)	)	
181.00	182.00	1.00	0.21	0.21	)	)	
182.00	183.06	1.06	<0.01	<0.01	)	)	Volcaniclastics + pyrite
183.06	184.00	0.94	0.08	0.08	)	)	
184.00	185.00	1.00	<0.01	<0.01	)	)	
185.00	186.00	1.00	0.02	0.02	)	)	
186.00	187.00	1.00	<0.01	<0.01	)	)	
187.00	188.00	1.00	0.16	0.16	)	)	
188.00	189.00	1.00	0.06	0.06	)	)	
189.00	189.62	0.62	0.02	0.01	)	)	
189.62	190.12	0.50	1.09	0.55	)	)	
190.12	191.00	0.88	2.37	2.09	)	)	
191.00	192.00	1.00	0.50	0.50	)	) 3.38 @ 1.14	
192.00	193.00	1.00	0.71	0.71	)	)	
193.00	194.00	1.00	0.21	0.21	)	)	
194.00	194.40	0.40	0.41	0.16	)	)	
194.40	195.00	0.60	0.43	0.26	)	)	
195.00	196.00	1.00	0.38	0.38	)	)	Altered granitoid + pyrite
196.00	197.00	1.00	0.23	0.23	)	)	
197.00	198.00	1.00	0.26	0.26	)	)	
198.00	199.00	1.00	1.28	1.28	)	)	
199.00	200.00	1.00	1.59	1.59	)	)	

Cardinal Resources Limited ABN 56 147 325 620

www.cardinalresources.com.au

Ghana: Durugu Residential Area, Kumbosco, Bolgatanga, Ghana P: +233 (0) 261905220 SKYPE: cardinal.archie

Australia: Level 1, 115 Cambridge Street, West Leederville, Perth, 6007 P: +61 (8) 9322 6600 F: +61 (8) 9322 6610

200.00	201.00	1.00	1.55	1.55	)	)	
201.00	202.00	1.00	0.43	0.43	)	)	
202.00	203.00	1.00	0.41	0.41	)	)	
203.00	204.00	1.00	0.83	0.83	)	)	
204.00	205.00	1.00	2.17	2.17	)	)	
205.00	206.00	1.00	3.43	3.43	)	)	
206.00	207.00	1.00	0.75	0.75	)	)	
207.00	208.00	1.00	1.24	1.24	)	)	
208.00	209.00	1.00	0.92	0.92	)	)	
209.00	210.00	1.00	2.58	2.58	)	)	
210.00	211.00	1.00	0.84	0.84	)	)	
211.00	212.00	1.00	0.36	0.36	)	)	
212.00	213.00	1.00	2.32	2.32	)285m @ 0.83	) 30m @ 1.05	Altered granitoid + pyrite
213.00	214.00	1.00	1.27	1.27	)	)	
214.00	215.00	1.00	1.28	1.28	)	)	
215.00	216.00	1.00	0.60	0.60	)	)	
216.00	217.00	1.00	0.68	0.68	)	)	
217.00	218.00	1.00	0.70	0.70	)	)	
218.00	219.00	1.00	0.74	0.74	)	)	
219.00	220.00	1.00	0.94	0.94	)	)	
220.00	221.40	1.40	0.66	0.92	)	)	
221.40	222.10	0.70	0.74	0.52	)	)	
222.10	223.00	0.90	0.90	0.81	)	)	
223.00	224.00	1.00	0.29	0.29	)	)	
224.00	225.00	1.00	0.35	0.35	)	)	
225.00	226.00	1.00	1.18	1.18	)	)	
226.00	227.00	1.00	0.17	0.17	)	)	
227.00	228.00	1.00	0.49	0.49	)	)	
228.00	229.10	1.10	0.13	0.14	)	)	
229.10	230.00	0.90	0.29	0.26	)	)	
230.00	230.90	0.90	<0.01	<0.01	)	)	
230.90	231.45	0.55	0.11	0.06	)	)	
231.45	232.00	0.55	0.09	0.05	)	)	
232.00	233.00	1.00	<0.01	<0.01	)	)	
233.00	234.00	1.00	<0.01	<0.01	)	)	
234.00	235.00	1.00	0.03	0.03	)	)	
235.00	236.00	1.00	0.21	0.21	)	)	
236.00	237.00	1.00	<0.01	<0.01	)	)	
237.00	238.00	1.00	<0.01	<0.01	)	)	
238.00	239.00	1.00	0.10	0.10	)	)	
239.00	240.00	1.00	<0.01	<0.01	)	)	
240.00	241.00	1.00	0.63	0.63	)	)	Volcaniclastics
241.00	242.00	1.00	0.67	0.67	)	)	
242.00	243.00	1.00	0.62	0.62	)	)	
243.00	244.00	1.00	0.56	0.56	)	)	
244.00	245.00	1.00	0.99	0.99	)	)	
245.00	246.00	1.00	0.97	0.97	)	)	
246.00	247.00	1.00	1.54	1.54	)	)	
247.00	248.00	1.00	1.87	1.87	)	)	
248.00	249.00	1.00	0.08	0.08	)	)17m @ 0.99	
249.00	250.00	1.00	0.87	0.87	)	)	
250.00	251.00	1.00	1.64	1.64	)	)	
251.00	252.40	1.40	1.91	2.67	)	)	

252.40	253.00	0.60	0.48	0.29	)	)	
253.00	254.00	1.00	0.51	0.51	)	)	
254.00	254.90	0.90	2.26	2.03	)	)	
254.90	256.00	1.10	0.10	0.11	)	)	
256.00	257.00	1.00	0.83	0.83	)	)	Volcaniclastics
257.00	258.00	1.00	0.10	0.10	)		
258.00	259.00	1.00	0.20	0.20	)		
259.00	260.00	1.00	0.03	0.03	)		
260.00	261.00	1.00	0.09	0.09	)		
261.00	262.00	1.00	0.06	0.06	)		Quartz diorite
262.00	263.00	1.00	0.13	0.13	)		
263.00	264.00	1.00	1.18	1.18	)	)	Qtz veins in diorite
264.00	265.00	1.00	1.99	1.99	)	) 2m @ 1.59	
265.00	266.00	1.00	<0.01	<0.01	)		
266.00	267.00	1.00	0.06	0.06	)		
267.00	268.00	1.00	0.31	0.31	)		Quartz diorite
268.00	269.00	1.00	0.07	0.07	)		
269.00	270.00	1.00	0.03	0.03	)		
270.00	271.00	1.00	1.33	1.33	)	)	Qtz veins in diorite
271.00	272.00	1.00	4.77	4.77	)	) 2m @ 3.05	
272.00	273.00	1.00	0.08	0.08	)		
273.00	274.00	1.00	<0.01	<0.01	)		
274.00	275.00	1.00	0.43	0.43	)		
275.00	276.00	1.00	0.18	0.18	)		
276.00	277.00	1.00	0.17	0.17	)		
277.00	278.00	1.00	<0.01	<0.01	)		
278.00	279.00	1.00	1.43	1.43	)	) 1m @ 1.43	
279.00	280.00	1.00	0.02	0.02	)		
280.00	281.00	1.00	0.01	0.01	)		
281.00	282.00	1.00	0.05	0.05	)		
282.00	283.00	1.00	<0.01	<0.01	)		
283.00	284.00	1.00	0.02	0.02	)		
284.00	285.00	1.00	0.48	0.48	)		Quartz diorite
285.00	286.00	1.00	<0.01	<0.01			
286.00	287.00	1.00	<0.01	<0.01			
287.00	288.00	1.00	<0.01	<0.01			
288.00	289.00	1.00	<0.01	<0.01			
289.00	290.00	1.00	0.16	0.16			
290.00	291.00	1.00	<0.01	<0.01			
291.00	292.00	1.00	<0.01	<0.01			
292.00	293.00	1.00	<0.01	<0.01			
293.00	294.00	1.00	<0.01	<0.01			
294.00	295.00	1.00	0.07	0.07			
295.00	296.00	1.00	<0.01	<0.01			
296.00	297.00	1.00	0.04	0.04			
297.00	298.00	1.00	1.30	1.30	)	)	
298.00	299.00	1.00	0.11	0.11	)	)	
299.00	300.00	1.00	0.66	0.66	)	)	
300.00	301.00	1.00	0.04	0.04	) 7.5m @ 0.68	) 7.5m @ 0.68	
301.00	301.78	0.78	0.03	0.02	)	)	

301.78	302.66	0.88	0.40	0.35	)	)	
302.66	303.70	1.04	0.86	0.89	)	)	Altered volcanclastics + pyrite
303.70	304.50	0.80	2.19	1.75	)	)	
304.50	305.00	0.50	0.07	0.04			
305.00	306.00	1.00	<0.01	<0.01			
306.00	306.50	0.50	<0.01	<0.01			
306.50	307.00	0.50	<0.01	<0.01			Quartz diorite
307.00	308.10	1.10	0.05	0.06			
308.10	309.00	0.90	<0.01	<0.01			
309.00	310.00	1.00	0.02	0.02			
310.00	311.00	1.00	0.87	0.87	)	)	Qtz veins in diorite
311.00	312.00	1.00	1.14	1.14	) 2m @ 1.01	) 2m @ 1.01	
312.00	313.00	1.00	0.13	0.13			
313.00	314.00	1.00	0.03	0.03			
314.00	315.00	1.00	<0.01	<0.01			
315.00	316.00	1.00	<0.01	<0.01			
316.00	317.00	1.00	<0.01	<0.01			
317.00	318.00	1.00	0.35	0.35			
318.00	319.00	1.00	<0.01	<0.01			
319.00	320.00	1.00	<0.01	<0.01			
320.00	321.00	1.00	<0.01	<0.01			
321.00	322.00	1.00	<0.01	<0.01			Quartz diorite
322.00	323.00	1.00	<0.01	<0.01			
323.00	324.00	1.00	<0.01	<0.01			
324.00	325.00	1.00	<0.01	<0.01			
325.00	326.00	1.00	<0.01	<0.01			
326.00	327.00	1.00	<0.01	<0.01			
327.00	328.00	1.00	<0.01	<0.01			
328.00	329.00	1.00	0.11	0.11			
329.00	330.00	1.00	0.02	0.02			
330.00	331.00	1.00	<0.01	<0.01			
331.00	331.50	0.50	0.03	0.02			
331.50	332.00	0.50	3.46	1.73	)	)	
332.00	333.00	1.00	2.35	2.35	) 2.5m @ 2.36	) 2.5m @ 2.36	Qtz veins in diorite
333.00	334.00	1.00	1.82	1.82	)	)	
334.00	335.00	1.00	0.03	0.03			
335.00	336.00	1.00	<0.01	<0.01			
336.00	337.00	1.00	<0.01	<0.01			
337.00	338.00	1.00	0.39	0.39			
338.00	339.00	1.00	<0.01	<0.01			Quartz diorite
339.00	340.00	1.00	0.10	0.10			
340.00	341.00	1.00	<0.01	<0.01			
341.00	342.00	1.00	<0.01	<0.01			
342.00	343.00	1.00	<0.01	<0.01			
343.00	344.00	1.00	<0.01	<0.01			EOH

0.0 g/t cut off contains not more than 3 consecutive samples <0.01 g/t

0.5 g/t cut off contains not more than 3 consecutive samples <0.5 g/t

APPENDIX 2
NMDD502-768 ASSAY RESULTS

Frm (m)	To (m)	Wdth (m)	Au g/t	Wt Av g/t	Intersection (0.0 g/t cut off)	Intersection (0.5 g/t cut off)	Description
0.00	1.00	1.00	0.14	0.14			Transported
1.00	2.00	1.00	0.15	0.15			Saprolite
2.00	3.00	1.00	0.12	0.12			
3.00	4.00	1.00	0.05	0.05			
4.00	5.00	1.00	0.25	0.25			
5.00	6.00	1.00	2.35	2.35			
6.00	7.00	1.00	0.36	0.36			Weathered metasediments
7.00	8.00	1.00	0.4	0.40			
8.00	9.00	1.00	0.05	0.05			
9.00	10.00	1.00	0.02	0.02			
10.00	11.00	1.00	0.03	0.03			
11.00	12.00	1.00	<0.01	<0.01			Metasediments
12.00	13.00	1.00	0.03	0.03			
13.00	14.00	1.00	0.1	0.10			
14.00	15.00	1.00	0.07	0.07			
15.00	16.00	1.00	0.04	0.04			
16.00	17.00	1.00	0.1	0.10			
17.00	18.00	1.00	<0.01	<0.01			
18.00	19.00	1.00	<0.01	<0.01			
19.00	20.00	1.00	<0.01	<0.01			
20.00	21.00	1.00	<0.01	<0.01			
21.00	22.00	1.00	<0.01	<0.01			
22.00	23.00	1.00	<0.01	<0.01			
23.00	24.00	1.00	<0.01	<0.01			
24.00	25.00	1.00	<0.01	<0.01			
25.00	26.00	1.00	<0.01	<0.01			
26.00	27.00	1.00	<0.01	<0.01			
27.00	28.00	1.00	<0.01	<0.01			
28.00	29.00	1.00	<0.01	<0.01			
29.00	30.00	1.00	<0.01	<0.01			
30.00	31.00	1.00	<0.01	<0.01			
31.00	32.00	1.00	<0.01	<0.01			
32.00	33.00	1.00	<0.01	<0.01			
33.00	34.00	1.00	<0.01	<0.01			
34.00	35.00	1.00	<0.01	<0.01			
35.00	36.00	1.00	<0.01	<0.01			
36.00	37.00	1.00	<0.01	<0.01			
37.00	38.00	1.00	<0.01	<0.01			
38.00	39.00	1.00	<0.01	<0.01			
39.00	39.50	0.50	<0.01	<0.01			Granitoid
39.50	40.00	0.50	<0.01	<0.01			
40.00	40.76	0.76	<0.01	<0.01			
40.76	41.50	0.74	<0.01	<0.01			
41.50	42.00	0.50	<0.01	<0.01			
42.00	43.00	1.00	<0.01	<0.01			
43.00	44.00	1.00	<0.01	<0.01			

Cardinal Resources Limited ABN 56 147 325 620

www.cardinalresources.com.au

Ghana: Durugu Residential Area, Kumbosco, Bolgatanga, Ghana P: +233 (0) 261905220 SKYPE: cardinal.archie

Australia: Level 1, 115 Cambridge Street, West Leederville, Perth, 6007 P: +61 (8) 9322 6600 F: +61 (8) 9322 6610

44.00	45.00	1.00	<0.01	<0.01			Volcaniclastics
45.00	46.00	1.00	<0.01	<0.01			
46.00	47.00	1.00	<0.01	<0.01			
47.00	48.00	1.00	<0.01	<0.01			
48.00	48.50	0.50	<0.01	<0.01			
48.50	49.40	0.90	<0.01	<0.01			Granitoid
49.40	50.00	0.60	<0.01	<0.01			
50.00	51.20	1.20	0.02	0.02			
51.20	52.00	0.80	<0.01	<0.01			
52.00	53.00	1.00	0.13	0.13			Volcaniclastics
53.00	53.50	0.50	<0.01	<0.01			
53.50	54.20	0.70	0.05	0.04			Granitoid
54.20	55.20	1.00	<0.01	<0.01			
55.20	56.30	1.10	0.04	0.04			
56.30	57.00	0.70	<0.01	<0.01			
57.00	58.00	1.00	0.02	0.02			
58.00	59.00	1.00	<0.01	<0.01			
59.00	60.00	1.00	0.03	0.03			Volcaniclastics + pyrite traces
60.00	61.00	1.00	0.09	0.09			
61.00	62.00	1.00	0.01	0.01			
62.00	63.00	1.00	<0.01	<0.01			
63.00	63.50	0.50	<0.01	<0.01			
63.50	64.00	0.50	<0.01	<0.01			
64.00	64.90	0.90	0.16	0.14			
64.90	65.76	0.86	<0.01	<0.01			Granitoid
65.76	66.50	0.74	<0.01	<0.01			
66.50	67.00	0.50	<0.01	<0.01			
67.00	68.00	1.00	0.05	0.05			
68.00	69.00	1.00	<0.01	<0.01			
69.00	70.00	1.00	<0.01	<0.01			
70.00	71.00	1.00	0.11	0.11	)		
71.00	72.00	1.00	1.91	1.91	)	) 1 @ 1.91	Altered volcaniclastic + pyrite
72.00	73.00	1.00	0.21	0.21	)		
73.00	74.00	1.00	0.02	0.02	)		
74.00	75.00	1.00	0.17	0.17	)		
75.00	76.00	1.00	0.14	0.14	)		
76.00	77.00	1.00	0.03	0.03	)		
77.00	78.10	1.10	0.43	0.47	)		
78.10	79.00	0.90	0.06	0.05	)		
79.00	80.00	1.00	<0.01	<0.01	)		Altered granitoid + pyrite
80.00	81.00	1.00	2.43	2.43	)	) 1m @ 2.43	
81.00	82.00	1.00	0.29	0.29	)		
82.00	83.00	1.00	0.12	0.12	)		
83.00	84.00	1.00	0.05	0.05	)		
84.00	85.00	1.00	0.14	0.14	)		
85.00	85.80	0.80	<0.01	<0.01	)		
85.80	86.50	0.70	0.02	0.01	)		
86.50	87.00	0.50	0.03	0.02	)		Volcaniclastics + pyrite traces
87.00	88.00	1.00	<0.01	<0.01	)		
88.00	89.00	1.00	0.14	0.14	)		
89.00	90.10	1.10	0.02	0.02	)		
90.10	91.00	0.90	0.15	0.14	)		
91.00	92.00	1.00	0.07	0.07	)		

92.00	92.50	0.50	0.02	0.01	)		
92.50	93.30	0.80	0.04	0.03	)		
93.30	94.00	0.70	7.8	5.46	) 57m @ 0.55	)	
94.00	94.60	0.60	0.12	0.07	)	)	Volcaniclastics + pyrite traces
94.60	95.35	0.75	0.03	0.02	)	) 2.7m @ 3.11	Granitoid
95.35	96.00	0.65	4.37	2.84	)	)	
96.00	97.00	1.00	0.03	0.03	)		
97.00	98.20	1.20	0.34	0.41	)		
98.20	99.00	0.80	0.36	0.29	)		
99.00	100.00	1.00	<0.01	<0.01	)		
100.00	101.00	1.00	<0.01	<0.01	)		
101.00	102.00	1.00	0.19	0.19	)		
102.00	103.00	1.00	0.03	0.03	)		
103.00	103.50	0.50	<0.01	<0.01	)		
103.50	104.00	0.50	0.02	0.01	)		
104.00	105.00	1.00	0.05	0.05	)		
105.00	106.00	1.00	0.38	0.38	)		
106.00	107.00	1.00	0.04	0.04	)		
107.00	108.00	1.00	0.02	0.02	)		
108.00	109.00	1.00	<0.01	<0.01	)		
109.00	110.00	1.00	<0.01	<0.01	)		
110.00	111.00	1.00	0.02	0.02	)		
111.00	112.00	1.00	0.06	0.06	)		
112.00	113.00	1.00	0.31	0.31	)		
113.00	114.00	1.00	0.11	0.11	)		
114.00	115.00	1.00	<0.01	<0.01	)		
115.00	116.00	1.00	0.04	0.04	)		
116.00	117.00	1.00	0.02	0.02	)		
117.00	118.00	1.00	0.18	0.18	)		
118.00	119.00	1.00	0.02	0.02	)		
119.00	120.00	1.00	0.08	0.08	)		Altered volcaniclastic + pyrite
120.00	121.00	1.00	<0.01	<0.01	)		
121.00	122.00	1.00	0.41	0.41	)		
122.00	123.00	1.00	2.69	2.69	)	)	
123.00	124.00	1.00	4.05	4.05	)	) 3m @ 4.55	
124.00	125.00	1.00	6.91	6.91	)	)	
125.00	126.00	1.00	0.12	0.12	)		
126.00	127.00	1.00	0.02	0.02	)		
127.00	128.00	1.00	<0.01	<0.01	)		
128.00	129.00	1.00	<0.01	<0.01	)		
129.00	130.00	1.00	<0.01	<0.01	)		
130.00	131.00	1.00	<0.01	<0.01	)		
131.00	132.00	1.00	0.03	0.03	)		
132.00	133.00	1.00	<0.01	<0.01	)		
133.00	134.00	1.00	<0.01	<0.01	)		
134.00	135.00	1.00	<0.01	<0.01	)		
135.00	136.00	1.00	<0.01	<0.01	)		
136.00	137.00	1.00	4.54	4.54	)	) 1m @ 4.54	
137.00	138.00	1.00	0.29	0.29	)		
138.00	139.00	1.00	0.02	0.02	)		
139.00	140.00	1.00	<0.01	<0.01	)		
140.00	141.00	1.00	0.02	0.02	) 9m @ 0.70		
141.00	142.00	1.00	<0.01	<0.01	)		

Cardinal Resources Limited ABN 56 147 325 620

www.cardinalresources.com.au

Ghana: Durugu Residential Area, Kumbosco, Bolgatanga, Ghana P: +233 (0) 261905220 SKYPE: cardinal.archie

Australia: Level 1, 115 Cambridge Street, West Leederville, Perth, 6007 P: +61 (8) 9322 6600 F: +61 (8) 9322 6610

142.00	143.00	1.00	0.05	0.05	)			
143.00	144.00	1.00	1.33	1.33	)	) 1 m @ 1.33		
144.00	145.00	1.00	0.09	0.09	)			
145.00	146.00	1.00	<0.01	<0.01				
146.00	147.00	1.00	<0.01	<0.01				
147.00	148.00	1.00	<0.01	<0.01				
148.00	148.50	0.50	<0.01	<0.01				
148.50	149.20	0.70	0.75	0.52	)			
149.20	150.00	0.80	0.02	0.02	)			
150.00	151.00	1.00	0.17	0.17	)			
151.00	152.00	1.00	<0.01	<0.01	)		Altered volcaniclastic + pyrite	
152.00	153.00	1.00	0.21	0.21	)			
153.00	154.00	1.00	<0.01	<0.01	)			
154.00	155.00	1.00	2.65	2.65	)	)		
155.00	156.00	1.00	0.04	0.04	)	)		
156.00	156.95	0.95	<0.01	<0.01	)	)		
156.95	157.50	0.55	5.38	2.96	)	)		
157.50	158.00	0.50	0.02	0.01	)	)		
158.00	159.00	1.00	1.95	1.95	)	)		
159.00	160.00	1.00	0.04	0.04	)	) 23.5m @ 0.87	) 11m @ 1.75	
160.00	161.20	1.20	4.15	4.98	)	)		
161.20	162.00	0.80	5.16	4.13	)	)	Altered granitoid + pyrite	
162.00	162.50	0.50	0.79	0.40	)	)		
162.50	163.00	0.50	0.3	0.15	)	)		
163.00	164.00	1.00	0.85	0.85	)	)	Altered volcaniclastic + pyrite	
164.00	165.00	1.00	1.13	1.13	)	)		
165.00	165.50	0.50	0.18	0.09	)			
165.50	166.20	0.70	<0.01	<0.01	)			
166.20	167.00	0.80	<0.01	<0.01	)			
167.00	168.00	1.00	<0.01	<0.01	)			
168.00	169.00	1.00	0.02	0.02	)			
169.00	170.00	1.00	0.03	0.03	)			
170.00	171.00	1.00	<0.01	<0.01	)			
171.00	172.00	1.00	0.03	0.03	)			
172.00	173.00	1.00	<0.01	<0.01				
173.00	174.00	1.00	<0.01	<0.01				
174.00	175.00	1.00	<0.01	<0.01				
175.00	176.00	1.00	<0.01	<0.01				
176.00	177.00	1.00	<0.01	<0.01				
177.00	178.00	1.00	<0.01	<0.01				
178.00	179.00	1.00	<0.01	<0.01				
179.00	180.00	1.00	<0.01	<0.01				
180.00	181.00	1.00	<0.01	<0.01			Volcaniclastic + pyrite trace	
181.00	182.00	1.00	<0.01	<0.01				
182.00	183.00	1.00	<0.01	<0.01				
183.00	184.00	1.00	<0.01	<0.01				
184.00	185.00	1.00	0.03	0.03				
185.00	186.00	1.00	<0.01	<0.01				
186.00	187.00	1.00	<0.01	<0.01				
187.00	188.00	1.00	<0.01	<0.01				
188.00	189.00	1.00	<0.01	<0.01				
189.00	190.00	1.00	<0.01	<0.01				
190.00	191.00	1.00	<0.01	<0.01				

191.00	192.00	1.00	0.13	0.13			
192.00	193.00	1.00	<0.01	<0.01			
193.00	194.00	1.00	<0.01	<0.01			
194.00	195.00	1.00	1.27	1.27	) 1 m @ 1.27	) 1 m @ 1.27	
195.00	196.00	1.00	0.02	0.02			
196.00	197.00	1.00	<0.01	<0.01			
197.00	198.00	1.00	<0.01	<0.01			
198.00	199.00	1.00	<0.01	<0.01			
199.00	200.00	1.00	<0.01	<0.01			
200.00	201.00	1.00	<0.01	<0.01			
201.00	202.00	1.00	0.03	0.03			Volcaniclastic + pyrite trace
202.00	203.00	1.00	0.02	0.02			
203.00	204.00	1.00	0.02	0.02			
204.00	205.00	1.00	0.02	0.02			
205.00	206.00	1.00	<0.01	<0.01			
206.00	207.00	1.00	<0.01	<0.01			
207.00	207.85	0.85	<0.01	<0.01			
207.85	208.40	0.55	<0.01	<0.01			
208.40	208.99	0.59	2.23	1.32	)	)	Altered granitoid + pyrite
208.99	210.00	1.01	1.22	1.23	)	) 1.6m @ 1.59	
210.00	211.00	1.00	0.06	0.06	)		
211.00	211.50	0.50	0.01	0.01	)		
211.50	212.00	0.50	<0.01	<0.01	)		
212.00	213.00	1.00	0.27	0.27	)		Volcaniclastic + pyrite trace
213.00	214.00	1.00	0.01	0.01	)		
214.00	215.00	1.00	0.01	0.01	)		
215.00	216.00	1.00	0.22	0.22	) 18.6m @ 0.48		
216.00	217.00	1.00	0.10	0.10	)		
217.00	218.00	1.00	0.04	0.04	)		Quartz diorite
218.00	219.00	1.00	0.03	0.03	)		
219.00	220.00	1.00	0.23	0.23	)		
220.00	221.00	1.00	5.17	5.17	)	) 1 m @ 5.17	Quartz diorite + qtz veins
221.00	222.00	1.00	<0.01	<0.01	)		
222.00	223.00	1.00	0.15	0.15	)		
223.00	224.00	1.00	0.02	0.02	)		
224.00	225.00	1.00	<0.01	<0.01	)		
225.00	226.00	1.00	<0.01	<0.01	)		
226.00	227.00	1.00	0.01	0.01	)		Quartz diorite
227.00	228.00	1.00	<0.01	<0.01			
228.00	229.00	1.00	<0.01	<0.01			
229.00	230.00	1.00	<0.01	<0.01			
230.00	231.00	1.00	<0.01	<0.01			
231.00	232.00	1.00	0.37	0.37	)		
232.00	233.00	1.00	0.84	0.84	) 3m @ 1.10	)	Quartz diorite + qtz veins
233.00	234.00	1.00	2.09	2.09	)	) 2m @ 1.47	
234.00	235.00	1.00	<0.01	<0.01			
235.00	236.00	1.00	<0.01	<0.01			
236.00	237.00	1.00	<0.01	<0.01			
237.00	238.00	1.00	<0.01	<0.01			
238.00	239.00	1.00	0.02	0.02			
239.00	240.00	1.00	0.01	0.01			
240.00	241.00	1.00	<0.01	<0.01			
241.00	242.00	1.00	<0.01	<0.01			Quartz diorite

Cardinal Resources Limited ABN 56 147 325 620

www.cardinalresources.com.au

Ghana: Durugu Residential Area, Kumbosco, Bolgatanga, Ghana P: +233 (0) 261905220 SKYPE: cardinal.archie

Australia: Level 1, 115 Cambridge Street, West Leederville, Perth, 6007 P: +61 (8) 9322 6600 F: +61 (8) 9322 6610

242.00	243.00	1.00	<0.01	<0.01			
243.00	244.00	1.00	<0.01	<0.01			
244.00	245.00	1.00	<0.01	<0.01			
245.00	246.00	1.00	0.42	0.42			
246.00	247.00	1.00	0.02	0.02			
247.00	248.00	1.00	0.01	0.01			
248.00	249.00	1.00	0.01	0.01			
249.00	250.00	1.00	<0.01	<0.01			
250.00	251.00	1.00	2.13	2.13	)	)	Quartz diorite + qtz veins
251.00	252.00	1.00	4.54	4.54	) 2m @ 3.34	) 2m @ 3.34	
252.00	253.00	1.00	0.03	0.03			
253.00	254.00	1.00	<0.01	<0.01			
254.00	255.00	1.00	<0.01	<0.01			
255.00	256.00	1.00	<0.01	<0.01			
256.00	257.00	1.00	<0.01	<0.01			
257.00	258.00	1.00	<0.01	<0.01			Quartz diorite
258.00	259.00	1.00	<0.01	<0.01			
259.00	260.00	1.00	<0.01	<0.01			
260.00	261.00	1.00	<0.01	<0.01			
261.00	262.00	1.00	0.19	0.19			
262.00	263.00	1.00	0.01	0.01			
263.00	264.00	1.00	0.01	0.01			
264.00	265.00	1.00	<0.01	<0.01			
265.00	266.00	1.00	<0.01	<0.01			
266.00	267.00	1.00	<0.01	<0.01			
267.00	268.00	1.00	<0.01	<0.01			
268.00	269.00	1.00	0.54	0.54			
269.00	270.00	1.00	0.02	0.02			
270.00	271.00	1.00	<0.01	<0.01			
271.00	272.00	1.00	0.02	0.02			
272.00	273.00	1.00	<0.01	<0.01			
273.00	274.00	1.00	0.07	0.07			
274.00	275.00	1.00	<0.01	<0.01			
275.00	276.00	1.00	0.61	0.61			
276.00	277.00	1.00	<0.01	<0.01			
277.00	278.00	1.00	<0.01	<0.01			Quartz diorite
278.00	279.00	1.00	<0.01	<0.01			
279.00	280.00	1.00	<0.01	<0.01			
280.00	281.00	1.00	<0.01	<0.01			
281.00	282.00	1.00	<0.01	<0.01			
282.00	283.00	1.00	<0.01	<0.01			
283.00	284.00	1.00	<0.01	<0.01			
284.00	285.00	1.00	<0.01	<0.01			
285.00	286.00	1.00	<0.01	<0.01			
286.00	287.00	1.00	<0.01	<0.01			
287.00	288.00	1.00	<0.01	<0.01			
288.00	289.00	1.00	<0.01	<0.01			
289.00	290.00	1.00	<0.01	<0.01			
290.00	291.00	1.00	<0.01	<0.01			
291.00	292.00	1.00	<0.01	<0.01			

292.00	293.00	1.00	<0.01	<0.01			
293.00	294.00	1.00	<0.01	<0.01			
294.00	295.00	1.00	<0.01	<0.01			
295.00	296.00	1.00	<0.01	<0.01			
296.00	297.00	1.00	<0.01	<0.01			
297.00	298.00	1.00	<0.01	<0.01			
298.00	299.00	1.00	<0.01	<0.01			
299.00	300.00	1.00	<0.01	<0.01			Quartz diorite
300.00	301.00	1.00	<0.01	<0.01			
301.00	302.00	1.00	<0.01	<0.01			
302.00	303.00	1.00	<0.01	<0.01			
303.00	304.00	1.00	<0.01	<0.01			
304.00	305.00	1.00	0.87	0.87	)	)	
305.00	306.00	1.00	0.50	0.50	)	)	Quartz diorite + qtz veins
306.00	307.00	1.00	<0.01	<0.01	) 4m @ 0.48	) 4m @ 0.48	
307.00	308.00	1.00	0.56	0.56	)	)	
308.00	309.00	1.00	0.03	0.03			
309.00	310.00	1.00	<0.01	<0.01			
310.00	311.00	1.00	<0.01	<0.01			
311.00	312.00	1.00	<0.01	<0.01			
312.00	313.00	1.00	<0.01	<0.01			
313.00	314.00	1.00	<0.01	<0.01			
314.00	315.00	1.00	<0.01	<0.01			
315.00	316.00	1.00	<0.01	<0.01			
316.00	317.00	1.00	<0.01	<0.01			
317.00	318.00	1.00	<0.01	<0.01			
318.00	319.00	1.00	<0.01	<0.01			
319.00	320.00	1.00	<0.01	<0.01			
320.00	321.00	1.00	<0.01	<0.01			
321.00	322.00	1.00	<0.01	<0.01			Quartz diorite
322.00	323.00	1.00	0.03	0.03			
323.00	324.00	1.00	<0.01	<0.01			
324.00	325.00	1.00	<0.01	<0.01			
325.00	326.00	1.00	<0.01	<0.01			
326.00	327.00	1.00	<0.01	<0.01			
327.00	328.00	1.00	<0.01	<0.01			
328.00	329.00	1.00	<0.01	<0.01			
329.00	330.00	1.00	<0.01	<0.01			
330.00	331.00	1.00	<0.01	<0.01			
331.00	331.95	0.95	<0.01	<0.01			
331.95	333.00	1.05	<0.01	<0.01			
333.00	334.00	1.00	<0.01	<0.01			
334.00	335.00	1.00	<0.01	<0.01			
335.00	336.00	1.00	<0.01	<0.01			
336.00	337.00	1.00	0.51	0.51			
337.00	338.00	1.00	0.31	0.31			
338.00	339.00	1.00	<0.01	<0.01			EOH

0.0 g/t cut off contains not more than 3 consecutive samples <0.01 g/t

0.5 g/t cut off contains not more than 3 consecutive samples <0.5 g/t

Competent Person's Statement

Information in this report that relates to the Namdini Project is based on information compiled by **Mr Paul Abbott**, a full time employee of Cardinal Resources Limited, who is a Fellow of the Australasian Institute of Mining and Metallurgy and a Member of the Geological Society of South Africa. Mr Abbott has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person, as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Abbott consents to the inclusion in this report of the statements based on his information in the form and context in which it appears.

Disclaimer

This ASX announcement (Announcement) has been prepared by Cardinal Resources Limited (ABN: 56 147 325 620) ("Cardinal" or "the Company"). It should not be considered as an offer or invitation to subscribe for or purchase any securities in the Company or as an inducement to make an offer or invitation with respect to those securities. No agreement to subscribe for securities in the Company will be entered into on the basis of this Announcement.

This Announcement contains summary information about Cardinal, its subsidiaries and their activities which is current as at the date of this Announcement. The information in this Announcement is of a general nature and does not purport to be complete nor does it contain all the information which a prospective investor may require in evaluating a possible investment in Cardinal.

By its very nature exploration for minerals is a high risk business and is not suitable for certain investors. Cardinal's securities are speculative. Potential investors should consult their stockbroker or financial advisor. There are a number of risks, both specific to Cardinal and of a general nature which may affect the future operating and financial performance of Cardinal and the value of an investment in Cardinal including but not limited to economic conditions, stock market fluctuations, gold price movements, regional infrastructure constraints, timing of approvals from relevant authorities, regulatory risks, operational risks and reliance on key personnel and foreign currency fluctuations.

Certain statements contained in this announcement, including information as to the future financial or operating performance of Cardinal Resources and its projects, are forward-looking statements that:

- may include, among other things, statements regarding targets, estimates and assumptions in respect of mineral reserves and mineral resources and anticipated grades and recovery rates, production and prices, recovery costs and results, capital expenditures, and are or may be based on assumptions and estimates related to future technical, economic, market, political, social and other conditions;
- are necessarily based upon a number of estimates and assumptions that, while considered reasonable by Cardinal Resources, are inherently subject to significant technical, business, economic, competitive, political and social uncertainties and contingencies; and,
- involve known and unknown risks and uncertainties that could cause actual events or results to differ materially from estimated or anticipated events or results reflected in such forward-looking statements.

Cardinal Resources disclaims any intent or obligation to update publicly any forward-looking statements, whether as a result of new information, future events or results or otherwise. The words 'believe', 'expect', 'anticipate', 'indicate', 'contemplate', 'target', 'plan', 'intends', 'continue', 'budget', 'estimate', 'may', 'will', 'schedule' and similar expressions identify forward-looking statements.

Cardinal Resources Limited ABN 56 147 325 620

www.cardinalresources.com.au

Ghana: Durugu Residential Area, Kumbosco, Bolgatanga, Ghana P: +233 (0) 261905220 SKYPE: cardinal.archie

Australia: Level 1, 115 Cambridge Street, West Leederville, Perth, 6007 P: +61 (8) 9322 6600 F: +61 (8) 9322 6610

All forward looking statements made in this announcement are qualified by the foregoing cautionary statements. Investors are cautioned that forward-looking statements are not guarantees of future performance and accordingly investors are cautioned not to put undue reliance on forward-looking statements due to the inherent uncertainty therein.

No verification: Although all reasonable care has been undertaken to ensure that the facts and opinions given in this Announcement are accurate, the information provided in this Announcement has not been independently verified.

JORC CODE 2012 EDITION – TABLE 1
285m MINERALISED GOLD ZONE INTERSECTED FROM SURFACE
Section 1 – Sampling Technique and Data

Criteria	JORC Code Explanation	Commentary
Sampling techniques	Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.	Nature and quality of sampling is carried out under QAQC procedures as per industry standards, with standards and blanks inserted every 22 samples.
	Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.	Sample representivity is ensured through carefully logging, with samples selected according to their lithological units.
	Aspects of the determination of mineralisation that are Material to the Public Report.	The determination of mineralisation is not yet known.
	In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	HQ core is halved with the same half consistently sampled. Approximately 1m samples are taken from which ~4 kg was crushed and a split portion pulverised to produce a 50 g charge for fire assay.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	HQ core drilling with a standard tube. Triple tube in saprolite at top of the hole. Core is orientated using Reflex equipment
Drill sample recovery	Method of recording and assessing core and chip sample recoveries and results assessed.	Method of recording and assessing core samples was on a hand held Motion F5te Tablet PC using a set of standard templates supplied by Maxwell Geoservices, Perth (Maxwell).
	Measures taken to maximise sample recovery and ensure representative nature of the samples.	The measures taken to maximize sample recovery are by measuring core length drilled against core length recovered
	Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	No relationship is known to exist between sample recovery and grade, and no sample bias may have occurred due to preferential loss/gain of any fine/coarse material.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.	Core samples have been geologically logged to a level of detail to support appropriate future Mineral Resource estimations.
	Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.	Logging is qualitative and quantitative. Core is photographed both in dry and wet form.
	The total length and percentage of the relevant	All holes are logged in full.

Criteria	JORC Code Explanation	Commentary
Sub-sampling techniques and sample preparation	intersections logged.	
	If core, whether cut or sawn and whether quarter, half or all core taken.	HQ core has been drilled, cut in half and sampled, with the remaining half core stored in the original core trays and stacked on shelves under cover
	If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.	
	For all sample types, the nature, quality and appropriateness of the sample preparation technique.	Sample preparation is completed at SGS Laboratories, Ouagadougou, Burkina Faso. All preparation equipment is flushed with barren material prior to the commencement of sample preparation. The entire sample is dried, crushed to a nominal 2mm using a Jaw Crusher, then <1.5 kg is split using a Jones type riffle. The reject sample is retained in the original sample bag. The split is pulverised in a LM2 grinding mill to a nominal 85% passing 75 micron size fraction. An approximate 200 gram sub-sample split is taken for fire assay with the pulverized residue retained in a plastic bag. The pulverized split is fire assayed by standard procedures with an AAS finish to 10 ppb detection limit. Both the remaining reject and pulverized samples are returned and stored at Cardinal's Bolgatanga premises.
	Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.	Quality control procedures adopted for all sub-sampling stages to maximize representivity of samples uses commercial certified reference material (CRM) for standards.
Quality of Assay data and laboratory tests	Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.	Measures taken to ensure that the core sampling is representative is to sample half core within lithological units, usually 1m lengths of the core, or lithological units >0.5m long.
	Whether sample sizes are appropriate to the grain size of the material being sampled.	The sample sizes are considered appropriate to give an accurate indication of gold mineralisation.
Quality of Assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.	The pulverized rock sample is weighed and mixed with flux and fused using lead oxide at 1,100°C, followed by cupellation of the resulting lead button (Dore bead). The bead is digested using 1:1 HNO ₃ and HCl and the resulting solution is submitted for analysis.
		The digested sample solution is aspirated into the Flame Atomic Absorption Spectrometer (AAS), aerosolised, and mixed with the combustible gas, acetylene and air. The mixture is ignited in a flame whose temperature ranges from 2,100 to 2,800°C. During combustion, atoms of the gold in the sample are reduced to free, unexcited ground state atoms, which absorb light. Light of the appropriate wavelength is supplied and the amount of light absorbed can be measured against a standard curve.

Criteria	JORC Code Explanation	Commentary
		Results have a lower gold detection limit of 10 ppb. The AAS equipment is calibrated with each job. The analytical technique is industry standard fire assay which is considered to be a total digest of gold.
	For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.	No hand held geophysical tools are used. Sample preparation checks for fineness are carried out by the laboratory as part of their internal procedures to ensure the grind size of 85-90% passing 75 micron is being attained. Each batch of 100 samples has 5 checks (20%), with the grind size varying between 87-99% passing 75 micron, which is acceptable. Laboratory QAQC involves the use of internal lab standards using certified reference material and blanks. Certified reference materials, having a range of values, and in-house blanks are inserted in the ratio of 1:22. No duplicate samples are taken as half core samples are submitted for fire assay. External laboratory checks are done on a three monthly basis through Laboratories Quality Services International (LQSI). Recent LQSI checks of Fire Assay analyses on Low Grade Oxide Material produced acceptable levels of accuracy and precision.
Verification of sampling and assaying	The verification of significant intersections by either independent or alternative company personnel.	The verification of significant intersections by either independent or alternative company personnel has not occurred.
	The use of twinned holes.	There has been no use of twinned holes.
	Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.	Primary data was collected on a hand held Motion F5te Tablet PC using a set of standard templates supplied by Maxwell Geoservices, Perth (Maxwell). Daily data was synchronised and digitally captured by Maxwell for validation and compilation into Excel and Access spreadsheets and stored on the Cardinal servers located in Bolgatanga, Ghana, West Africa.
	Discuss any adjustment to assay data.	No adjustments were made to assay data.
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	Accuracy of drill hole collar surveys is +/- 3m using a hand held Garmin GPSmap 62s GPS.
	Specification of the grid system used.	WGS84 Sector 30N, with local grid baseline at

Criteria	JORC Code Explanation	Commentary
	Quality and adequacy of topographic control.	010° True North and lines at 50m to 100m intervals and stations at 50m along lines. The quality and adequacy of topographic control is +/- 3m using a hand held Garmin GPSmap 62s GPS.
Data spacing and distribution	Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.	Data spacing is 50-100m (northing) and 50-100m (easting). The data spacing and distribution is considered to be sufficient to establish a degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.
Orientation of data in relation to geological structure	Whether sample compositing has been applied. Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	No sample compositing has been applied. The orientation of sampling achieves unbiased sampling of possible structures as drilling is orientated normal to the dip and foliation of the deposit. No orientation based sampling bias has been identified in the data to date.
Sample security	The measures taken to ensure sample security.	The measures taken to ensure sample security are through an independent Ghanaian security contractor. Samples are stored at Cardinal's base camp located at Bolgatanga, Ghana, West Africa under security until collected by SGS Laboratories and transported to their Ouagadougou laboratory in Burkina Faso.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Sampling techniques are of industry standards. Data is audited by Maxwell Geoservices (Perth), who have not made any other recommendations.

Section 2 – Reporting of Exploration Results

(Criteria listed in section 1 will also apply to this section where relevant)

Criteria	JORC Code Explanation	Commentary
Mineral Tenement and Land Status	Type, name/reference number, location and ownership including agreements or material issues with third parties including joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	The Namdini Mining Licence is located in NE Ghana. Namdini Mining Limited (NML) holds the mining licence. NML signed a Heads of Agreement with Savannah Mining Ltd (Savannah) to provide "Mining Support" services to NML. Savannah has signed a Heads of Agreement with Cardinal Mining Services Ltd (CMS) to provide "Mining Support" services in relation to the Namdini Mining Licence. There are no known impediments to offer "Mining Support" services to Namdini Mining Limited within the Namdini Mining licence area.

Cardinal Resources Limited ABN 56 147 325 620

www.cardinalresources.com.au

Ghana: Durugu Residential Area, Kumbosco, Bolgatanga, Ghana P: +233 (0) 261905220 SKYPE: cardinal.archie

Australia: Level 1, 115 Cambridge Street, West Leederville, Perth, 6007 P: +61 (8) 9322 6600 F: +61 (8) 9322 6610

Criteria	JORC Code Explanation	Commentary
Exploration Done by Other Parties	Acknowledgment and appraisal of exploration by other parties.	No previous systematic exploration has been undertaken.
Geology	Deposit type, geological setting and style of mineralisation	The deposit type comprises gold mineralisation within sheared and highly altered rocks containing sulphides (pyrite and arsenopyrite). The geological setting is a Paleoproterozoic Greenstone Belt comprising Birimian metavolcanics, volcanoclastics & metasediments located in close proximity to a major 30 km ~N-S regional shear zone with splays. The style of mineralisation is hydrothermal alteration containing disseminated gold-bearing sulphides
Drill hole information	A summary of all information material to the understanding of the exploration results including tabulation of the following information for all Material drill holes: • Easting and northing of the drill hole collar • Elevation or RL (Reduced Level – elevation above sea level in meters) of the drill hole collar • Dip and azimuth of the hole • Down hole length and interception depth • Hole length If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	A summary of all information is contained within this announcement. There has been no exclusion of information.
Data aggregation methods	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregated intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated.	No weighting averaging techniques nor cutting of high grades have yet been undertaken as assay results are awaited. Aggregated intercepts incorporating short lengths of high grade results within the lithological units are calculated to include no more than intervals of 3m below grades of <0.01 g/t Au when assay results are received No metal equivalent values were used for this report.
Relationship between mineralisation widths and	These relationships are particularly important in the reporting of exploration results. If the geometry of the mineralisation with respect	The relationship between mineralisation widths and intercept lengths is not yet known. The geometry of the mineralisation with respect to the

Criteria	JORC Code Explanation	Commentary
Intercept lengths	to the drill hole angle is known, its nature should be reported.	drill hole angle is not yet known.
	If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	Only down hole lengths are reported when assay results are received and true widths of mineralisation are not yet known.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plane view of drill hole collar locations and appropriate sectional views.	Appropriate locality map, plan view and sections are included in this announcement.
Balanced Reporting	Where comprehensive reporting of all Exploration Results is not practical, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	The assay results of the diamond drill holes NMRD443-746 and NMDD502-768 are attached.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observation; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	The interpretation of the geological observations shown in Figures 2, 3 and 5 are subject to possible change as new information is gathered.
		No geochemical surveys, bulk sampling, metallurgical, mineralogical or geotechnical assessments were undertaken.
Further Work	The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large – scale step – out drilling).	A combination of reverse circulation and diamond drilling is planned, followed by possible additional ground geophysical surveys depending on the results of the drilling.
	Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	The plans included show the possible extent of mineralisation based on geological observations and previous assay results. Future drilling is planned north and west within the Namdini Project Area to obtain strike and down dip extensions to the gold mineralisation.